

UNIVERSITY OF BELGRADE
TECHNICAL FACULTY BOR

**52nd International October Conference on
Mining and Metallurgy**



PROCEEDINGS

Edited by

Saša Stojadinović

and

Dejan Petrović

November 29th – 30th 2021

Bor, Serbia

UNIVERSITY OF BELGRADE
TECHNICAL FACULTY IN BOR

**52nd International October Conference on
Mining and Metallurgy**



PROCEEDINGS

Edited by

Saša Stojadinović

and

Dejan Petrović

November 29th – 30th 2021

Bor, Serbia

**52nd International October Conference
on Mining and Metallurgy, IOC 2021**

PUBLISHER:

UNIVERSITY OF BELGRADE - TECHNICAL FACULTY IN BOR, BOR, NOVEMBER 2021

FOR THE PUBLISHER:

DEAN: Prof. dr Nada Štrbac

EDITORS:

Prof. dr Saša Stojadinović

Doc. dr Dejan Petrović

TECHNICAL EDITOR

Pavle Stojković, MSc.

PRINTED BY:

»Štamparija Atlantis d.o.o.« Niš

CIRCULATION: 100 Copies

CIP – Каталогизација у публикацији –

Народна библиотека Србије, Београд

622(082)

669(082)

**INTERNATIONAL October Conference on Mining
and Metallurgy (52 ; 2021 ; Bor)**

Proceedings / 52nd International October
Conference on Mining and Metallurgy - IOC 2021,
November 29th - 30th 2021 Bor, Serbia ; [organizer]
University of Belgrade, Technical Faculty in Bor ;
[co-organizer Institute for Mining and Metallurgy
Bor] ; edited by Saša Stojadinović and Dejan
Petrović. - Bor : University of Belgrade, Technical
Faculty, 2021 (Niš : Atlantis). - V, 228 str. : ilustr. ;
25 cm

Tiraž 100. - Bibliografija uz svaki rad.

ISBN 978-86-6305-119-5

а) Рударство -- Зборници б) Металургија --
Зборници

COBISS.SR-ID 52072201

ORGANIZER:

UNIVERSITY OF BELGRADE – TECHNICAL FACULTY IN BOR

Co-ORGANIZER:

INSTITUTE FOR MINING AND METALLURGY BOR

Under the Auspice of:



**The Ministry of Education, Science and
Technological Development of the Republic of
Serbia**

CONFERENCE SPONSORS

The logo for RioTinto features the word "RioTinto" in a white, serif font, set against a solid red rectangular background.



COMMITTEES

52nd International October Conference on Mining and Metallurgy, IOC 2021

SCIENTIFIC COMMITTEE

- | | |
|---|--|
| Prof. dr Nada Štrbac, (UB TF Bor, Serbia) | Prof. dr Luis Filipe Malheiros, (FEUP, Porto, Portugal) |
| Prof. dr Iwao Katayama, (Osaka University, Osaka, Japan) | Prof. dr Svetlana Ivanov, (UB TF Bor, Serbia) |
| Prof. dr Rodoljub Stanojlović, (UB TF Bor, Serbia) | Prof. dr Batrić Pešić, (Materials Science Faculty, Idaho, USA) |
| Prof. dr Radoje Pantović, (UB TF Bor, Serbia) | Prof. dr Ljubica Ivanić, (UB TF Bor, Serbia) |
| Prof. dr Jakob Lamut, (ULj FNT Ljubljana, Slovenia) | Dr Srećko Stopić, (RWTH Aachen, IME Aachen, Germany) |
| Prof. dr Sanda Krausz, (University of Petroșani, Romania) | Prof. dr Boštjan Markoli, (ULj FNT Ljubljana, Slovenia) |
| Prof. dr Grozdanka Bogdanović, (UB TF Bor, Serbia) | Dr Magnus Ericsson, (Lulea Technical University, Stockholm, Sweden) |
| Prof. dr Jelena Penavin Škundrić, (TF Banja Luka, B&H) | Prof. dr Tamara Holjevac Grgurić, (MF Sisak, Croatia) |
| Prof. dr Seshadri Seetharaman, (Royal Institute of Technology, Stockholm, Sweden) | Prof. dr Boyan Boyanov, (University Paisiy Hilendarski, Plovdiv, Bulgaria) |
| Prof. dr Dragoslav Gusković, (UB TF Bor, Serbia) | Prof. dr Milan Antonijević, (UB TF Bor, Serbia) |
| Prof. dr Jožef Medved, (ULj FNT Ljubljana, Slovenia) | Prof. dr Tatjana Volkov-Husović, (UB TMF, Serbia) |
| Dr Slavomir Hredzak, (SAS Kosice, Slovakia) | Prof. dr Branka Jordović, (TF Čačak, Serbia) |
| Prof. dr Aleksandar Dimitrov, (FTM Skopje, FYR Macedonia) | Prof. dr Milan Trumić, (UB TF Bor, Serbia) |
| Prof. dr Karlo Raić, (UB TMF, Serbia) | Prof. dr Tomaš Havlik, (TUK, Slovakia) |
| Prof. dr Snežana Šerbula, (UB TF Bor, Serbia) | Prof. dr Carl Heinz Spitzer, (TU Clausthal, Germany) |
| Dr Ana Kostov, (IRM Bor, Serbia) | Dr Mile Bugarin, (IRM Bor, Serbia) |
| Prof. dr Kemal Delijić, (MTF Podgorica, Montenegro) | Prof. dr Velizar Stanković, (UB TF Bor, Serbia) |
| Prof. dr Stoyan Groudev, (UMG "Saint Ivan Rilski" Sofia, Bulgaria) | Prof. dr Costas Matis, (AU Thessaloniki, Greece) |
| Dr Andrei Rotaru, (Facultatea de Mecanica, Romania) | Dr Milenko Ljubojev, (IRM Bor, Serbia) |
| Prof. dr Krzysztof Fitzner, (AGH University, Krakow, Poland) | Prof. dr Velimir Radmilović, (University of California at Berkeley, USA) |
| Prof. dr Sulejman Muhamedagić, (FMM Zenica, B&H) | Prof. dr Dejan Tanikić, (UB TF Bor, Serbia) |
| Prof. dr Anđelka Mihajlov, (Educons University, Serbia) | Dr Mirjam Jan-Blažić, (Slovenian Foundrymen Society, Slovenia) |
| | <u>Prof. dr Vitomir Milić</u> , (UB TF Bor, Serbia) |

Prof. dr Desimir Marković, (UB TF Bor, Serbia)

Prof. dr Mirjana Rajčić Vujasinović, (UB TF Bor, Serbia)

Dr Vladan Ćosović, (UB IHTM, Serbia)

Prof. dr Dimitris Panias, (NTUA, Athens, Greece)

Prof. dr Mirko Gojić, (MF Sisak, Croatia)

Prof. dr Vladimir Krstić, (Queen's University, Canada)

Prof. dr Dimitriu Sorin, (Polytechnic University of Bucharest, Romania)

Dr Miroslav Sokić, (UB ITNMS, Serbia)

Prof. dr Vladislav Kecojević, (West Virginia University, USA)

Prof. dr Dragan Manasijević, (UB TF Bor, Serbia)

Prof. dr Mirsada Oruč, (FMM Zenica, B&H)

Prof. dr Vlastimir Trujić, (IRM Bor, Serbia)

ORGANIZING COMMITTEE

Prof. dr Saša Stojadinović, vanredni profesor, UB, TF Bor

Prof. dr Ljubiša Balanović, vanredni profesor, UB, TF Bor

Doc. dr Dejan Petrović, docent, UB, TF Bor

dr Ana Kostov, naučni savetnik, Institut za rudarstvo i metalurgiju Bor

Doc. dr Aleksandra Mitovski, docent, UB, TF Bor

Doc. dr Ana Simonović, docent, UB, TF Bor

Prof. dr Jovica Sokolović, vanredni profesor, UB, TF Bor

Prof. dr Đorđe Nikolić, redovni profesor, UB, TF Bor

Doc. dr Uroš Stamenković, docent, UB, TF Bor

Prof. dr Milan Radovanović, vanredni profesor, UB, TF Bor

Doc. dr Danijela Voza, docent, UB, TF Bor

Jelena Ivaz, asistent, UB, TF Bor

Pavle Stojković, asistent, UB, TF Bor

Mladen Radovanović, asistent, UB, TF Bor

Predrag Stolić, asistent, UB, TF Bor

Kristina Božinović, asistent, UB, TF Bor

Sandra Vasković, Nastavnik engleskog jezika, UB, TF Bor

Oliver Marković, šef IKTC, UB, TF Bor

Miomir Voza, laborant, UB, TF Bor

TABLE OF CONTENTS

Aleksandra Milosavljević

THE COMPLEXITY OF SEM-EDS – WHAT AFFECTS THE QUALITY OF OBTAINED RESULTS? 1

Zoran Karastojković, R Perić, M Srećković

LASER QUENCHING OF CUTTING TOOL STEELS - A REVIEW 5

Slavica Miletić, D Bogdanović, E Požega

IMPACT OF EXTRAORDINARY SECURITY MEASURES TO EMPLOYEES DURING THE PANDEMIC COVID-9 15

Daniela Grigorova, R Paunova

KINETIC STUDY OF SOLID-PHASE REDUCTION OF POLYGRADIENT IRON-CONTAINING MATERIAL 19

Emina Požega, D Simonović, S Marjanović, M Jovanović, L Gomidželović, M Mitrović, Z Stanojević Šimšić

PART I: WHAT MAKES A GOOD THERMOELECTRIC 23

Emina Požega, D Simonović, S Marjanović, M Jovanović, L Gomidželović, M Mitrović, S Miletić

PART II: WHAT MAKES A GOOD THERMOELECTRIC 27

Dragan Manasijević, Lj Balanović, I Marković, M Gorgievski, U Stamenković, K Božinović, D Minić, M Premović

STUDY OF MICROSTRUCTURE AND THERMAL CONDUCTIVITY OF THE Ag–Bi–Sn ALLOYS 31

Vladimir S. Topalović, S Matijašević, S Grujić, J Stojanović, J Nikolić, V Savić, S Zildžović

THE INFLUENCE OF THE PARTICLE SIZE ON CRYSTALLIZATION OF GLASS POWDERS FROM THE SYSTEM $\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{GeO}_2-\text{P}_2\text{O}_5$ 35

Vesna Marjanović, R Marković, V Krstić

TECHNOLOGIES FOR PHYSICAL TREATMENT OF WATER CONTAINING SELENIUM: A REVIEW 39

Vesna Marjanović, R Marković, V Krstić

TECHNOLOGIES FOR BIOLOGICAL TREATMENT OF WATER CONTAINING SELENIUM: A REVIEW 43

Milenko Jovanović, M Mikić, M Maksimović, D Kržanović, R Rajković, E Požega

USAGE SPECIFICS OF GEOGRIDS 47

Srećko Manasijević, Z Zovko Brodarac, N Dolić, M Djurdjević, R Radiša	
INTERMETALLIC BONDING BETWEEN A RING CARRIER AND AN ALUMINUM PISTON ALLOY	51
Snežana Šarboh	
PATENTED INVENTIONS OF LJUBOMIR KLERIĆ	55
Miomir Mikic, M Jovanović, R Rajković, D Kržanović, E Požega	
DEGRADED AREA OF VELIKI KRIVELJ QUARRY RECULTIVATION	59
Dragana Adamović, D Ishiyama, H Kawaraya, O Yasumasa	
EFFECTS OF TAILINGS ON GROUNDWATER ALONG BOR AND BELA RIVERS IN THE BOR MINING AREA, EASTERN SERBIA	63
Ana Kostov, Z Stanojević Šimšić, A Milosavljević,	
CHARACTERIZATION OF ALLOYS CuAlAu0.5	67
Marija Milenković, V Jovanović, J Paunković, V Krstić	
MULTICRITERIA ANALYSIS OF THE LEVEL OF SUSTAINABLE DEVELOPMENT OF THE TOPLICA DISTRICT USING THE ELECTRE METHOD	71
Daniel Kržanović, R Rajković, D Stevanović, M Mikić, M Jovanović, S Petrović	
LONG-TERM PLANNING OF MINING THE LEAD AND ZINC ORE DEPOSIT IN THE BRSKOVO ORE FIELD, THE REPUBLIC OF MONTENEGRO	75
Radmilo Rajković, D Kržanović, M Mikić, M Jovanović	
CALCULATION OF SAFETY DISTANCE FOR THE OPERATION OF MINING EQUIPMENT IN THE WORKING ENVIRONMENT WITH WEAKENED CHARACTERISTICS AT THE OPEN PIT "NORTH MINING DISTRICT" OF THE COPPER MINE MAJDANPEK	79
Zdenka Stanojević Šimšić, A Kostov, A Milosavljević, E Požega	
HARDNESS, MICROHARDNESS AND ELECTROCONDUCTIVITY OF ALLOYS WITH VARIABLE Cu CONTENT IN Cu-Al-Ag SYSTEM	83
Miodrag Banješević	
STRATIGRAPHY AND AGE OF ROCK UNITS AND MINERALIZATION IN THE TIMOK MAGMATIC COMPLEX AND THE BOR METALLOGENIC ZONE – A REVIEW	87
Milan Radivojević, Z Stević, M Tanasković	
DUALPHASED FOURWAYINTERSECTION REGULATED BY TRAFFIC LIGHTS WITH FIXED AND ADAPTIVE MOD OF OPERATION	93
Filip Gramić, N Rančić, S Filipović, J Đorđević	
USE OF COPPER TAILING AND COPPER SLAG IN 3D PRINTED CONCRETE PROCESSES	97
Filip Gramić, N Rančić, S Filipović, J Đorđević,	
POSSIBILITY OF USING MINING WASTE IN THE PRODUCTION OF BRICK PRODUCTS	101

Stepan O. Vidysh

GOLD-SILVER ALLOYS ANODIC DISSOLUTION RESEARCH IN HYDROCHLORIC ACID ELECTROLYTES 105

Milan Gorgievski, M Marković, D Božić, Vr Stanković, N Štrbac, V Grekulović, M Zdravković

ADSORPTION ISOTHERMS FOR COPPER IONS ADSORPTION ONTO WALNUT SHELLS 109

Miljan Marković, M Gorgievski, N Štrbac, V Grekulović, A Mitovski, K Božinović, M Zdravković

pH AND CONDUCTIVITY CHANGE DURING THE RINSING AND ADSORPTION OF COPPER IONS ONTO WALNUT SHELLS 113

Vesna Grekulović, A Mitovski, M Rajčić Vujasinović, N Štrbac, M Zdravković, M Gorgievski, M Marković

ELECTROCHEMICAL BEHAVIOR OF COPPER IN CHLORIDE MEDIUM IN THE PRESENCE OF WALNUT SHELL MACERATE 117

Marija Šljivić-Ivanović, S Dimović, I Jelić,

EXPERIMENTAL DESIGN APPROACH IN RADIONUCLIDE SORPTION 121

Ivana Jelić, A Savić, M Šljivić-Ivanović, S Dimović

INFLUENCE OF SILICA FUME ON SCC CONCRETE PROPERTIES 125

Milan Radovanović, A Simonović, M Petrović Mihajlović, Ž Tasić, V Nedelkovski, M Antonijević

L-LYSINE AS CORROSION INHIBITOR OF STAINLESS STEEL IN RINGER'S SOLUTION 129

Dragana Marilović, M Trumić, M Trumić, Lj Andrić

THE INFLUENCE OF CALCIUM IONS ON DEINKING FLOTATION RECOVERY UNDER DIFFERENT CONDITIONS 133

Dragana Medić, S Milić, S Alagić, M Nujkić, S Đorđević, A Papludis

OPTIMIZATION OF CATHODIC MATERIAL LEACHING PROCESS IN ACID-SULPHATE SOLUTION 137

Milijana Mitrović, D Gusković, S Marjanović, B Trumić, E Požega, U Stamenković, J Petrović

OBTAINING MULTILAYER COPPER STRIPS BY ARB (ACCUMULATIVE ROLL BONDING) ROLLING PROCESS 141

Nataša Đorđević, S Mihajlović, N Obradović, A Peleš, S Filipović

THE INFLUENCE OF HIGH COMPACTION PRESSURE ON CORDIERITE-BASED CERAMICS 145

Nataša Đorđević, S Mihajlović, M Sokić, B Marković

SEM AND X-RAY ANALYSES OF SINTERED MgO / Bi₂O₃ BINARY SYSTEM 149

Ivana Ilić, J Sokolović, M Trumić, Z Stirbanović

**COMPARATIVE RESULTS OF COPPER FLOTATION FROM SLAG BEFORE AND AFTER THE
PROCESS OF MAGNETIC CONCENTRATION** **153**

Daniela Grigorova

FERROSILICON OBTAINING USING IRON-SILICATE –FAYALITE **157**

Slavica Mihajlović, M Jovanović, N Đorđević, A Patarić, M Vlahović, V Kašić

THE CLAY PRELIMINARY TESTING FROM MUNICIPALITY AREA OF REKOVAC **161**

Milan Milosavljević, M Premović, D Minić, Dn Mansijević, Ar Đorđević, M Kolarević

**EXPERIMENTAL AND THERMODYNAMIC STUDY OF ISOTHERMAL SECTIONS AT 600 °C
AND 400 °C OF TERNARY Bi-Cu-Ge SYSTEM** **165**

Aleksandar Đorđević, D Minić, M Premović, D Mansijević, M Milosavljević, V Ristić

STUDY OF TEMPERATURE PHASE TRANSFORMATION OF THE TERNARY Bi-Cu-Ge SYSTEM **169**

Aleksandar Savić, I Jelić, M Šljivić-Ivanović, S Dimović, N Pudar, A Pfandler

**RECYCLED COARSE AGGREGATE AND FLY ASH EFFECT ON COMPRESSIVE STRENGTH OF
SELF-COMPACTING CONCRETE** **173**

Vladan Kašić, D Životić, V Simić, A Radosavljević-Mihajlović, J Stojanović, S Mihajlović, M
Vukadinović

FORECAST RESOURCES OF ZEOLITHIC TUFFS OF SERBIA **177**

Vladan Kašić, A Radosavljević-Mihajlović, S Radosavljević, J Stojanović, S Mihajlović, M
Vukadinović

**GEOLOGICAL AND MINERAL CHARACTERISTICS OF ZEOLITHIC TUFF TOPONICA DEPOSITS
NEAR KOSOVSKA KAMENICA** **181**

Konstantin Petkov, V Stefanova, P Iliev

**METHOD FOR UTILIZATION OF THE SULFURIC ACID OBTAINED DURING AUTOCLAVE
DISSOLUTION OF PYRITE CONCENTRATE** **185**

Stefan Đorđević, D Ishiyama, Y Ogawa, Z Stevanović, O Osenyeng, D Adamović, V
Trifunović

**MONITORING OF pH VALUE AND CONCENTRATION OF COPPER IN
RIVERS DOWNSTREAM FROM BOR MINE IN PERIOD 2015-2021** **189**

Viša Tasić, M Cocić, B Radović, T Apostolovski-Trujić

**CHEMICAL COMPOSITION OF PARTICULATE MATTER IN THE INDOOR AIR AT THE
TECHNICAL FACULTY IN BOR (SERBIA)** **193**

Snežana Ignjatović, I Vasiljević, M Negovanović

DEFINING STRUCTURAL CORRELATION USING OF TOTAL HORIZONTAL GRADIENT **197**

Velizar Stanković, M Janošević

**INCREASING THE CAPACITY OF THE COPPER SMELTING COMPANY IN THE COMPANY
"SERBIA ZIJIN COPPER" - CHALLENGES AND CONSEQUENCES TO THE ENVIRONMENT** 201

Vladimir Jovanović, D Todorović, B Ivošević, D Radulović, S Milićević, D Nišić

**CHARACTERIZATION OF PELLET SAMPLES OBTAINED BY PELETIZATION OF LIMESTONE
AND SEAWEED** 205

Vanja Trifunović, L Avramović, R Jonović, S Milić, S Đorđievski, M Jonović

**HYDROMETALLURGICAL TREATMENT OF ELECTRIC ARC FURNACE DUST IN AIM OF ZINC
SEPARATION** 209

Jovana Bošnjaković, N Knežević, N Čutović, M Bugarčić, A Jovanović, Z Veličković, S
Manasijević

**EVALUATION OF ADSORPTION PERFORMANCE OF PHOSPHATES REMOVAL USING CELL-
MG HYBRID ADSORBENT** 213

Dragan Radulović, Lj Andrić, D Božović, V Jovanović, B Ivošević, D Todorović,

**POSSIBILITY OF USING LIMESTONE FROM "PJEŠIVAČKI DO"-DANILOVGRAD DEPOSIT AS
FILLER IN VARIOUS INDUSTRY BRANCHES** 217

Predrag Stolić, J Ivaz, D Petrović, Zoran Stević

**ADVANTAGES OF MINING ENGINEERING CURRICULUM REALIZATION USING
SOLUTIONS BASED ON FREE SOFTWARE** 221

Slađana Krstić, E Požega, S Petrović, S Magdalinović, D Urošević, S Miletić, Z Stojanović
Šimšić

**QUALITY INVESTIGATION OF SAND FOR THE PRODUCTION OF AGGREGATES ON
VINOGRADI LOCALITY (DELIBLATSKA PEŠČARA)** 225

Saša Marjanović, D Gusković, M Mitrović, E Požega, B Trumić, U Stamenković

**INFLUENCE OF COLD ROLLING AND ANNEALING ON HARDNESS OF BIMETALLIC STRIP
Cu– Al** 229

ADSORPTION ISOTHERMS FOR COPPER IONS ADSORPTION ONTO WALNUT SHELLS

Milan Gorgievski¹, Miljan Marković¹, Dragana Božić², Velizar Stanković¹, Nada Štrbac¹,
Vesna Grekulović¹, Milica Zdravković¹

¹Technical Faculty Bor, University of Belgrade, V.J. 12, 19210 Bor, Serbia

²Mining and Metallurgy Institute Bor, Zelenibulevar 35, 19210 Bor, Serbia

Abstract

In this paper Langmuir, Freundlich, and Temkin adsorption isotherm models were used for describing the adsorption of copper ions onto walnut shells. The adsorption was performed in a batch system. The obtained isotherm data were fitted using the mentioned models, and the isotherm parameters were calculated from the linearized plots corresponding to each model. The Langmuir adsorption isotherm model showed the best agreement with the analyzed experimental data, with the correlation coefficient $R^2 = 0.993$. According to this model, the adsorption process occurs until a complete monolayer of copper ions is formed on the surface of the walnut shells. The maximum adsorption capacity, according to this model, was 7.71 mg g^{-1} .

Keywords: Adsorption isotherms, walnut shells, adsorption capacity, copper ions, batch system.

1. INTRODUCTION

Environmental pollution, which includes water, air, and soil pollution, is a serious environmental problem. Waters contaminated with heavy metals are one of the biggest environmental problems of today. These waters affect the flora and fauna, and through the food chain also human health. Many industries, for example, metallurgy processing plants, discharge heavy metals into their wastewaters, thus polluting the environment [1, 2]. Conventional technologies which are used for the removal of heavy metals from wastewaters including chemical precipitation, cementation, ion exchange, solvent extraction, adsorption, different membrane processes, etc, are already in use on an industrial level. These methods have their downsides, including an insufficient degree of metal ions removal, high costs, the need for excessive amounts of chemicals used in the process, and the formation of significant amounts of sludge. As a potential alternative method to conventional technologies for the removal of heavy metals from wastewaters emerges biosorption [3]. To describe the mechanism of the adsorption process as well as to obtain the information about the maximum adsorption capacity of selected adsorbent, the adsorption isotherms are used [4].

In this paper, the adsorption isotherm data of copper ions adsorption onto walnut shells was fitted using the Langmuir, Freundlich, and Temkin adsorption isotherm models.

2. EXPERIMENTAL

Walnut shells were used as an adsorbent for the adsorption experiments. Adsorption isotherm data was obtained by bringing into contact 0.5 g of walnut shells with 50 mL of synthetic solutions of copper ions with different initial concentrations ranging from 5 to 500 mg dm^{-3} . The suspension was stirred using a magnetic stirrer for 60 minutes, assuming that this process time is long enough to reach the equilibrium between phases [3]. After that, the suspension was filtered, and the filtrate was analyzed for the residual amount of copper ions.

3. RESULTS AND DISCUSSION

3.1 Langmuir adsorption isotherm model

This model was implemented theoretically assuming that the adsorption occurs in a monolayer, at a finite number of localized sites [5].

The Langmuir model can be expressed in the following form:

$$q_e = \frac{q_m K_L C_e}{1 + K_L C_e} \quad (1)$$

Linearization of the equation (1) results in the following expression:

$$C_e / q_e = \frac{1}{K_L q_m} + \frac{1}{q_m} C_e \quad (2)$$

where C_e is the equilibrium concentration of metal ions (mg dm^{-3}), q_e is the equilibrium adsorption capacity (mg g^{-1}), q_m is the maximum adsorption capacity (mg g^{-1}) and K_L ($\text{dm}^3 \text{g}^{-1}$) is the Langmuir equilibrium constant.

Graphical dependence of C_e/q_e in function of C_e , shown on Figure 1b, gives the straight-line with the slope $1/q_m$ and the intercept $1/K_L q_m$.

3.2 Freundlich adsorption isotherm model

This model is often used to describe the non-ideal and reversible adsorption processes. The Freundlich model can also be applied to multilayer adsorption [5].

This model is represented by the following expression:

$$q_e = K_f C_e^{1/n} \quad (3)$$

Linearization of the Eq. (3) gives:

$$\log q_e = \log K_f + \frac{1}{n} \log C_e \quad (4)$$

where C_e is the equilibrium concentration of copper ions in the solution (mg dm^{-3}); q_e is the adsorbent capacity defined as mass of the adsorbed metal per unit mass of the adsorbent (mg g^{-1}) at equilibrium; K_F is the Freundlich equilibrium constant ($(\text{mg g}^{-1}) (\text{dm}^3 \text{mg}^{-1})^{1/n}$), and $1/n$ is the coefficient of heterogeneity in the Freundlich adsorption isotherm equation.

Graphical dependence of $\log q_e$ in function of $\log C_e$, shown on Figure 1c, gives the straight line, with the slope $1/n$ and the intercept K_F .

3.3 Temkin adsorption isotherm model

Temkin adsorption isotherm model is based on the assumption that the heat of adsorption in all layers of molecules decreases linearly with coverage, and that there is a uniform distribution of ion binding energy in the adsorbent-adsorbate system [6].

Temkin isotherm model is represented by the following expression:

$$q_e = B \ln(K_T C_e) \quad (5)$$

Linear form of the equation (5) is:

$$q_e = B \ln K_T + B \ln C_e \quad (6)$$

where $B = RT/b$ is the Temkin constant, which refers to the adsorption heat (J mol^{-1}); b is the variation of adsorption energy (J mol^{-1}); R is the universal gas constant ($\text{J mol}^{-1} \text{K}^{-1}$); T is the temperature (K); K_T is the Temkin equilibrium constant ($\text{dm}^3 \text{g}^{-1}$); q_e is the adsorption capacity defined as mass of the adsorbed metal per unit mass of the adsorbent (mg g^{-1}) at equilibrium; C_e is the equilibrium concentration of copper ions in the solution (mg dm^{-3}). Constants B and K_T can be determined from the graph $q_e = f(\ln C_e)$, which is shown in Figure 1d, where B is the slope, and K_T the intercept.




Figure 1. a) Adsorption isotherm data, b) Langmuir adsorption isotherm model, c) Freundlich adsorption isotherm model and d) Temkin adsorption isotherm model for copper ions adsorption onto walnut shells

The obtained adsorption isotherm data, shown in Figure 1a, was fitted using the Langmuir, Freundlich, and Temkin adsorption isotherm models, and the corresponding diagrams are shown on Figures 1 b-d. The equilibrium parameters for the analyzed models were determined using Equations (2), (4), and (6). The obtained parameters and correlation coefficients R^2 are given in Table 1.

Table 1. Obtained parameters for Langmuir, Freundlich and Temkin adsorption isotherm models for copper ions adsorption onto walnut shells

Langmuir				Freundlich			Temkin		
K_L $\text{dm}^3 \text{mg}^{-1}$	q_{exp} mg g^{-1}	q_m mg g^{-1}	R^2	K_F	$1/n$	R^2	B J mol^{-1}	K_T $\text{dm}^3 \text{g}^{-1}$	R^2
45.19	7.50	7.71	0.993	12.87	0.4	0.960	1.11	8.11	0.968

According to the data given in Table 1, the Langmuir model shows the best agreement to the analyzed data, with the correlation coefficient $R^2 = 0.993$. The experimentally determined adsorption capacity, and the maximum capacity determined by the Langmuir model are approximately equal, which further proves very good agreement of the Langmuir model with the analyzed data, and indicates that the adsorbent is almost completely saturated, where all of the active sites are occupied by copper ions. The maximum adsorption capacity, obtained by the Langmuir adsorption isotherm model was 7.71 mg g^{-1} .

4. CONCLUSIONS

Walnut shells were used as an adsorbent for copper ions adsorption from aqueous solutions. The adsorption isotherm data were fitted using three theoretical adsorption isotherm models, i.e. Langmuir, Freundlich, and Temkin adsorption isotherm model. The obtained results, shown in Table 1, indicate that Langmuir model shows the best agreement with the analyzed experimental data, with the correlation coefficient $R^2 = 0.993$. This leads to the conclusion that the biosorption process occurs in a monolayer. The maximum adsorption capacity, obtained by the Langmuir adsorption isotherm model, according to Table 1, was 7.71 mg g^{-1} .

ACKNOWLEDGEMENTS

The research presented in this paper was done with the financial support of the Ministry of Education, Science and Technological Development of the Republic of Serbia, within the funding of the scientific research work at the University of Belgrade, Technical Faculty in Bor, according to the contract with registration number 451-03-9/2021-14/200131, and the Mining and Metallurgy Institute Bor, Grant No. 451-03-9/2021-14/ 200052.

REFERENCES

- [1] R. B. Garcia-Reyes, J. R. Rangel-Mendez, Bioresour. Technol. 101 (2010) 8099-8108.
- [2] R. Perez-Lopez, J. M. Nieto, G. R. Almodovar, Appl. Geochemistry. 22 (2007) 1919-1935.
- [3] M. Gorgievski, D. Božić, V. Stanković, N. Štrbac, S. Šerbula, Ecol. Eng. 58 (2013) 113-122.
- [4] M. J. Mohammed-Ridha, A. S. Ahmed, N. N. Raoof, NJES 20 (2017) 298-310.
- [5] X. Chen, Information 6 (2015) 14-22.
- [6] S. Puttamat, V. Pavarajarn, Int. J. Chem. Eng. 7 (4) (2016).

ISBN 978-86-6305-119-5