




University of Belgrade,
Technical Faculty in Bor

Chamber of Commerce
and Industry of Serbia

XVI International Mineral Processing & Recycling Conference



Proceedings



Editors:
Zoran ŠTIRBANOVIĆ
Milan TRUMIĆ

28-30 May 2025
Belgrade, Serbia





University of Belgrade,
Technical Faculty in Bor



Chamber of Commerce
and Industry of Serbia

XVI International Mineral Processing & Recycling Conference



Proceedings

Editors:
Zoran ŠTIRBANOVIĆ
Milan TRUMIĆ

28 – 30 May 2025, Belgrade, Serbia

XVI International Mineral Processing & Recycling Conference

PUBLISHER:

University of Belgrade, Technical Faculty in Bor

FOR THE PUBLISHER:

Dean: Prof. Dr Dejan Tanikić, University of Belgrade, Technical Faculty in Bor

EDITORS:

Prof. Dr Zoran Štirbanović, University of Belgrade, Technical Faculty in Bor

Prof. Dr Milan Trumić, University of Belgrade, Technical Faculty in Bor

TECHNICAL EDITORS:

Dr Vladimir Nikolić, University of Belgrade, Technical Faculty in Bor

MSc Dragana Marilović, University of Belgrade, Technical Faculty in Bor

MSc Katarina Balanović, University of Belgrade, Technical Faculty in Bor

PROCEEDINGS COVER DESIGN:

MSc Aleksandar Cvetković, University of Belgrade, Technical Faculty in Bor

PRINTED BY:

Grafika Galeb, Niš, Serbia

Printed: 200 copies

PUBLISHING LICENCE:

All papers in the Proceedings are published under CC-BY licence.

PUBLICATION YEAR:

2025

=====

CIP - Каталогизacija у публикацији
Народна библиотека Србије, Београд

622.7(082)

502.131.1:628.477.6(082)

628.477.6(082)

INTERNATIONAL Mineral Processing and Recycling Conference (16 ; 2025 ; Belgrade)

Proceedings / XVI International Mineral Processing and Recycling Conference, IMPRC, 28 – 30 May 2025, Belgrade, Serbia ; editors Zoran Štirbanović, Milan Trumić. - Bor : University of Belgrade, Technical Faculty, 2025 (Niš : Grafika Galeb). - XIX, 706 str. : ilustr. ; 25 cm

Na vrhu nasl. str.: Chamber of Commerce and Industry of Serbia. - Tiraž 200. -

Bibliografija uz svaki rad.

ISBN 978-86-6305-158-4

a) Руде -- Припрема -- Зборници б) Отпадне материје -- Одрживи развој -- Зборници в) Отпадне материје -- Рециклажа -- Зборници

COBISS.SR-ID 168462601 -ID 114566153

=====

GENERAL SPONSOR



***Conference is financially supported
by the Ministry of Science, Technological
Development and Innovation
of the Republic of Serbia***

GOLD SPONSORS



SILVER SPONSORS



EXHIBITORS



FRIENDS OF THE CONFERENCE



SCIENTIFIC COMMITTEE

Prof. Dr Milan Trumić, University of Belgrade, Technical Faculty in Bor (Serbia) President
Prof. Dr Grozdanka Bogdanović, University of Belgrade, Technical Faculty in Bor (Serbia) Vice President
Prof. Dr Jovica Sokolović, University of Belgrade, Technical Faculty in Bor (Serbia) Vice President
Prof. Dr Zoran Štirbanović, University of Belgrade, Technical Faculty in Bor (Serbia) Vice President
Prof. Dr Corby Anderson, Colorado School of Mines (USA)
Prof. Dr Zhiyong Gao, Central South University (China)
Prof. Dr Pablo Brito-Parada, Imperial College London (United Kingdom)
Prof. Dr Junbeum Kim, University of Technology of Troyes (France)
Prof. Dr Srećko Stopić, RWTH Aachen University (Germany)
Prof. Dr Lijie Guo, Beijing General Research Institute of Mining and Metallurgy (China)
Prof. Dr Mauricio Torem, Pontifical Catholic University of Rio de Janeiro (Brazil)
Prof. Dr Georgios Anastassakis, National Technical University of Athens (Greece)
Prof. Dr Przemyslaw Kowalczyk, Norwegian University of Science and Technology (Norway)
Prof. Dr Kerstin Forsberg, KTH Royal Institute of Technology (Sweden)
Prof. Dr Alexandre Chagnes, Université de Lorraine (France)
Prof. Dr Erin Bobicki, University of Alberta (Canada)
Prof. Dr Kazutoshi Haga, Akita University (Japan)
Prof. Dr Quentin Campbell, North-West University (South Africa)
Dr Fardis Nakhaei, Missouri University of Science and Technology (USA)
Dr Aleksandar Janković, Kresnik Pty Ltd (Australia)
Prof. Dr Raghupatruni Bhima Rao, Aryan Institute of Engineering and Technology (India)
Prof. Dr Magdalena Regel-Rosocka, Poznan University of Technology (Poland)
Prof. Dr Juan M. Menéndez Aguado, University of Oviedo (Spain)
Prof. Dr Efrén Garcia Ordiales, University of Oviedo (Spain)
Prof. Dr Alejandro Rodriguez Pascual, University of Cordoba (Spain)
Prof. Dr Antonis Peppas, National Technical University of Athens (Greece)
Prof. Dr Komnitsas Konstantinos, Technical University of Crete (Greece)
Prof. Dr Semra Kurama, Eskisehir Technical University (Turkey)
Prof. Dr Mehmet Polat, Izmir Institute of Technology (Turkey)
Prof. Dr Valery Morozov, National University of Science and Technology MISiS (Russian Federation)
Dr Kadriann Tamm, Tallinn University of Technology (Estonia)
Prof. Dr Maria Sinche Gonzalez, University of Oulu (Finland)
Prof. Dr Sônia Denise Rocha, Federal University of Minas Gerais (Brazil)
Prof. Dr Rodrigo Souza, Pontifical Catholic University of Rio de Janeiro (Brazil)
Prof. Dr Frederico Marques Penha, KTH Royal Institute of Technology (Sweden)
Prof. Dr Silvie Heviánková, VSB – Technical University of Ostrava (Czech Republic)
Dr Hector Muñoz Sierra, Institute of Chemical Process Fundamentals of the Czech Academy of Sciences (Czech Republic)
Dr Slavomir Hredzak, Institute of Geotechnics of the Slovak Academy of Science (Slovakia)
Dr Vladimír Joković, University of Queensland (Australia)
Prof. Dr Gabor Musci, University of Miskolc (Hungary)
Prof. Dr Francisc Popescu, University Politehnica Timisoara (Romania)

Prof. Dr Adian Cioabla, University Politehnica Timisoara (Romania)
Prof. Dr Irena Grigorova, University of Mining and Geology "St. Ivan Rilski" (Bulgaria)
Prof. Dr Jakob Lamut, University of Ljubljana (Slovenia)
Prof. Dr Filip Kokalj, University of Maribor (Slovenia)
Prof. Dr Aleksandra Anić Vučinić, University of Zagreb (Croatia)
Asst. Prof. Dr Branimir Farkaš, University of Zagreb (Croatia)
Prof. Dr Ilhan Bušatlić, University of Zenica (Bosnia & Herzegovina)
Prof. Dr Svjetlana Sredić, University of Banja Luka (Republic of Srpska, Bosnia & Herzegovina)
Prof. Dr Afrodita Zendelska, University "Goce Delchev" (North Macedonia)
Prof. Dr Aleksandar Jovović, University of Belgrade, Faculty of Mechanical Engineering (Serbia)
Prof. Dr Milena Kostović, University of Belgrade, Faculty of Mining and Geology (Serbia)
Prof. Dr Predrag Lazić, University of Belgrade, Faculty of Mining and Geology (Serbia)
Prof. Dr Željko Kamberović, University of Belgrade, Faculty of Technology and Metallurgy (Serbia)
Prof. Dr Vlada Veljković, University of Nis, Faculty of Technology (Serbia)
Prof. Dr Goran Vujić, University of Novi Sad, Faculty of Technical Sciences (Serbia)
Prof. Dr Srđan Rončević, University of Novi Sad, Faculty of Sciences (Serbia)
Prof. Dr Bogdana Vujić, University of Novi Sad, Technical Faculty "Mihajlo Pupin" (Serbia)
Prof. Dr Marina Stamenović, The Academy of Applied Technical Studies Belgrade (Serbia)
Prof. Dr Dimitrije Zakić, University of Belgrade, Faculty of Civil Engineering (Serbia)
Prof. Dr Vladimir Pavićević, University of Belgrade, Faculty of Technology and Metallurgy (Serbia)
Prof. Dr Nada Štrbac, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Milan Antonijević, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Zoran Stević, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Dejan Tanikić, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Ljubiša Andrić, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Snežana Šerbula, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Snežana Milić, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Mira Cocić, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Maja Trumić, University of Belgrade, Technical Faculty in Bor (Serbia)
Asst. Prof. Dr Vladan Milošević, University of Belgrade, Technical Faculty in Bor (Serbia)
Asst. Prof. Dr Vladimir Nikolić, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Mile Bugarin, Mining and Metallurgy Institute Bor (Serbia)
Dr Zoran Stevanović, Mining and Metallurgy Institute Bor (Serbia)
Dr Radmila Marković, Mining and Metallurgy Institute Bor (Serbia)
Dr Jelena Petrović, Mining and Metallurgy Institute Bor (Serbia)
Dr Ivana Smičklas, Vinča Institute of Nuclear Sciences (Serbia)
Dr Ivana Jelić, Vinča Institute of Nuclear Sciences (Serbia)
Dr Miroslav Sokić, Institute for Technology of Nuclear and Other Mineral Raw Materials (Serbia)
Dr Dragan Radulović, Institute for Technology of Nuclear and Other Mineral Raw Materials (Serbia)
Dr Sonja Milićević, Institute for Technology of Nuclear and Other Mineral Raw Materials (Serbia)
Dr Milinko Radosavljević, Mining Institute (Serbia)
Dr Svetlana Polavder, Mining Institute (Serbia)
Dr Miroslav Ignjatović, Chamber of Commerce and Industry of Serbia (Serbia)

ORGANIZING COMMITTEE

Prof. Dr Zoran Štirbanović, University of Belgrade, Technical Faculty in Bor, President
Prof. Dr Milan Trumić, University of Belgrade, Technical Faculty in Bor
Prof. Dr Grozdanka Bogdanović, University of Belgrade, Technical Faculty in Bor
Prof. Dr Jovica Sokolović, University of Belgrade, Technical Faculty in Bor
Prof. Dr Maja Trumić, University of Belgrade, Technical Faculty in Bor
Dr Vladimir Nikolić, University of Belgrade, Technical Faculty in Bor Secretary
Dr Miroslav Ignjatović, Chamber of Commerce and Industry of Serbia
MSc Dragana Marilović, University of Belgrade, Technical Faculty in Bor
MSc Katarina Balanović, University of Belgrade, Technical Faculty in Bor
MSc Ivana Ilić, University of Belgrade, Technical Faculty in Bor
MSc Tamara Gavrilović, University of Priština – Kosovska Mitrovica
MSc Oliver Marković, University of Belgrade, Technical Faculty in Bor
MSc Dragan Milenković, University of Belgrade, Technical Faculty in Bor
MSc Sandra Vasković, University of Belgrade, Technical Faculty in Bor
BSc Vera Ražnatović, Chamber of Commerce and Industry of Serbia
Dobrinka Trujić, University of Belgrade, Technical Faculty in Bor

LIST OF REVIEWERS

Prof. Dr Georgios Anastassakis, National Technical University of Athens (Greece)
Prof. Dr Pablo Brito-Parada, Imperial College London (United Kingdom)
Prof. Dr Milan Trumić, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Srećko Stopić, RWTH Aachen University (Germany)
Prof. Dr Grozdanka Bogdanović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Ljubiša Andrić, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Jovica Sokolović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Zoran Štirbanović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Maja Trumić, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Radmila Marković, Mining and Metallurgy Institute Bor (Serbia)
Dr Jelena Petrović, Mining and Metallurgy Institute Bor (Serbia)
Dr Stefan Đorđijevski, Mining and Metallurgy Institute Bor (Serbia)
Dr Vesna Conić, Mining and Metallurgy Institute Bor (Serbia)
Dr Ivana Jelić, Vinča Institute of Nuclear Sciences (Serbia)
Prof. Dr Maja Nujkić, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Ivana Marković, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Marija Petrović-Mihajlović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Žaklina Tasić, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Radoje Pantović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Snežana Milić, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Ljiljana Avramović, Mining and Metallurgy Institute Bor (Serbia)
Prof. Dr Przemyslaw Kowalczyk, Norwegian University of Science and Technology (Norway)
Prof. Dr Alexandre Chagnes, Université de Lorraine (France)
Prof. Dr Aleksandar Nikoloski, Murdoch University (Australia)
Dr Dragana Medić, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Ljubiša Balanović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Juan M. Menéndez Aguado, University of Oviedo (Spain)
Dr Hector Muñiz Sierra, Institute of Chemical Process Fundamentals of the Czech Academy of Sciences (Czech Republic)
Dr Vladimir Nikolić, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Dragana Božić, Mining and Metallurgy Institute Bor (Serbia)
Dr Marija Šljivić-Ivanović, Vinča Institute of Nuclear Sciences (Serbia)
Dr Dragan Radulović, Institute for Technology of Nuclear and Other Mineral Raw Materials (Serbia)
Prof. Dr Maria Sinche Gonzalez, University of Oulu (Finland)
Prof. Dr Kerstin Forsberg, KTH Royal Institute of Technology (Sweden)
Dr Srđan Stanković, University of Belgrade, Faculty of Biology (Serbia)
Prof. Dr Igor Miljanović, University of Belgrade, Faculty of Mining and Geology (Serbia)
Prof. Dr Milena Kostović, University of Belgrade, Faculty of Mining and Geology (Serbia)
Dr. Yu Yuexian, Xi'an University of Science and Technology (China)
Dr. Yunfeng Song, Central South University (China)
Prof. Bojan Marinkovic, Pontifical Catholic University of Rio de Janeiro (Brazil)

Prof. Dr Aleksandra Fedajev, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Ljiljana Tolić Stojadinović, Innovation Center of the Faculty of Technology and Metallurgy (Serbia)
Dr. Vasily Timofeevich Lebedev, Petersburg Nuclear Physics Institute (Russian Federation)
Prof. Maurício Leonardo Torem, Pontifical Catholic University of Rio de Janeiro (Brazil)
Prof. Dr Vesna Alivojvodić, The Academy of Applied Studies Polytechnic, Belgrade (Serbia)
Dr Saied Karimi, Hamedan University of Technology (Iran)
Dr Mathilde Perrin, University of Grenoble Alpes, CEA-Liten (France)
Dr Aleksandar Janković, Hatch (Australia)
Dr Vladan Milošević, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Milan Antonijević, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Sonja Milićević, Institute for Technology of Nuclear and Other Mineral Raw Materials (Serbia)
Prof. Dr Milan Gorgievski, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Dragan Manasijević, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Semra Kurama, Eskişehir Technical University (Turkey)
Dr Aleksandra Mitovski, Engineering Dobersek GmbH (Germany)
Prof. Dr Carmen Mihaela Neculita, Research Institute on Mines and Environment, University of Québec in Abitibi-Témiscamingue (Canada)
Dr Janine Rodrigues Figueiredo, Federal University of Ouro Preto, (Brazil)
Prof. Dr Ana Radojević, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Jelena Jordanović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Komnitsas Konstantinos, Technical University of Crete (Greece)
Dr Jelena Avdalović, Institute of Chemistry, Technology and Metallurgy (Serbia)
Dr Milica Mladenović, Vinča Institute of Nuclear Sciences (Serbia)
Prof. Dr Xiaomin Ma, Taiyuan University of Technology (China)
Prof. Dr Snežana Urošević, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Milan Radovanović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Ana Simonović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Francesco Ferella, University of L'Aquila (Italy)
Prof. Dr Fatma Arslan, Istanbul Technical University (Turkey)
Prof. Dr Gülay Bulut, Istanbul Technical University (Turkey)
Dr Samah S. Abdallah, Central Metallurgical Research and Development Institute (Egypt)
Prof. Dr. Vesna Grekulović, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr. Vandana Kumari Jha, KTH Royal Institute of Technology (Sweden)
Dr Vesna Krstić, Mining and Metallurgy Institute Bor (Serbia)
Dr Sanja Petrović, Mining and Metallurgy Institute Bor (Serbia)
Dr Goran Pačkovski, Mining and Metallurgy Institute Bor (Serbia)
Dr Ivana Jovanović, Mining and Metallurgy Institute Bor (Serbia)
Prof. Dr Tanja Kalinović, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Jelena Kalinović, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Predrag Stolić, University of Belgrade, Technical Faculty in Bor (Serbia)

TABLE OF CONTENTS

PLENARY LECTURES	1
Pablo R. Brito-Parada	3
A MINERAL'S JOURNEY – UNRAVELLING FLOTATION PHENOMENA THROUGH PARTICLE TRACKING	
Srecko Stopic, Duško Kostić, Mitar Perušić, Richard Schneider, Bernd Friedrich	9
RECOVERY OF VALUABLE METALS FROM BAUXITE RESIDUE (BR) USING DECARBONIZING TECHNOLOGIES	
Corby G. Anderson	19
HOW THE RARE EARTHS BECAME THE LANTHANIDES AGAIN	
Junbeum Kim	21
EMERGING TECHNOLOGIES AND EMERGING WASTES: CHALLENGES AND OPPORTUNITIES	
INVITED LECTURES	23
Aleksandar Nikoloski, Pritam Singh, Tina Chanda Phiri	25
AN OVERVIEW OF GLOBAL COPPER SMELTING SLAG PRODUCTION AND REPROCESSING APPROACHES	
Maria Sinche-Gonzalez	37
EDUCATION IN MINERAL PROCESSING AND FILLING THE GAP OF TALENTED MINERAL PROCESSING ENGINEERS	
Predrag Umičević, Ivica Karoglan, Gregor Radišić, Viktor Simončič	44
INNOVATIVE BIODEGRADABLE WASTE TREATMENT AS A POSSIBLE SOLUTION FOR RECULTIVATION OF TAILINGS AND SLAG LANDFILLS	
Kerstin Forsberg	50
CRYSTALLIZATION CHALLENGES IN HYDROMETALLURGY	
Belinda McFadzean, Avuyile Wali, Megan Becker, Stefan Geldenhuys	55
CRITICAL MINERALS: CHALLENGES AND OPPORTUNITIES IN PLATINUM GROUP MINERAL FLOTATION	
Alexandre Chagnes, Pierric Hubert, Safi Jradi	62
INNOVATIVE STRATEGIES FOR METAL RECOVERY FROM LFP-NMC LITHIUM-ION BATTERY BLENDS	
Michal Šyc, Jiří Hykš	66
FROM LINEAR TO CIRCULAR ECONOMY – STORY OF THE BOTTOM ASH	
Przemysław B. Kowalczyk	70
CRITICAL RAW MATERIALS (CRM) RECOVERY FROM NORWEGIAN DEPOSITS: CHALLENGES AND OPPORTUNITIES	

SESSION LECTURES	73
Massoud Aghamirian Vu Truong, Kristina Muntu, Jean-Gabriel Fraboulet, Sean Salour, Brian Kawenski Cook INVESTIGATIONS INTO LITHIUM MINERALS PROCESSING	75
Héctor Muñiz Sierra, Michal Šyc, Ayse Asya Arslanturk THE APPLICATION OF PHYSICAL CONCENTRATION TECHNOLOGIES IN THE RECYCLING OF NEW WASTE STREAMS	86
METALS YOUNG RESEARCHER AWARD	89
Diego Poblete, Claudio Leiva, Maria Sinche-Gonzales, Claudio Acuña HOLLOW DROP BUBBLES A PROPOSED NEW TECHNOLOGY FOR OPTIMIZED METAL EXTRACTION VALIDATED IN THE LABORATORY	91
Wanjia Zhang, Zhitao Feng, Zhiyong Gao PREDICTION OF COLLECTOR FLOTATION PERFORMANCE BASED ON MACHINE LEARNING AND QUANTUM CHEMISTRY: A CASE OF SULFIDE MINERALS	98
Helir Muñoz, Sophia Korili, Antonio Gil SYNTHESIS OF MOF@ALUMINUM SALINE SLAG COMPOSITES FOR CO ₂ CAPTURE AS A NEW STRATEGY OF VALORIZATION OF SECONDARY ALUMINUM WASTES	106
Jernej Imperl, Mitja Kolar, Vilma Ducman, Gorazd Žibret, Lea Žibret SELECTIVE SEPERATION OF MAGNESIUM FROM SLOVENIAN DOLOMITES	113
Vladan Nedelkovski, Dragana Medić, Aleksandar Cvetković, Sonja Stanković, Žaklina Tasić, Milan Radovanović, Snežana Milić ANODE NANOMATERIAL RECOVERED FROM SPENT BATTERIES FOR PEROXIDE-ASSISTED CRYSTAL VIOLET PHOTOCATALYTIC DEGRADATION	119
Dragana Marilović, Sonja Stanković, Grozdanka Bogdanović EFFECT OF TEMPERATURE ON THE LEACHING COPPER FROM FLOTATION TAILINGS WITH IONIC LIQUID	125
PAPERS	131
Iyiola Olatunji Otunniyi, Oluwayimika Olasunkanmi Oluokun CLEAN GOLD SOLUTION FROM PRINTED CIRCUIT BOARD PHYSICAL PROCESSING DUST BY SELECTIVE COMPLEXATION	133
Ugur Ulusoy Firat Burat, Guler Bayar, Behrad Mojtahedi, Gulsah Guven CHARACTERIZATION AND COMPARISON OF THE PARTICLE SHAPE OF MICRONIZED GRAPHITE GROUND IN DIFFERENT MILLS USING DIA	142
Aleksander Sokolov, Edvins Letko, Vitalijs Kuzmovs, Ulises Miranda Ordonez ON-LINE XRF ANALYSIS OF ELEMENTS IN MINERALS ON A CONVEYOR BELT	148
Aleksandra Mitrovic, Jelena Vucicevic LABORATORY-SCALE REACTORS EMPLOYING MOVING BED BIOFILM REACTOR (MBBR) TECHNOLOGY: A COMPREHENSIVE REVIEW	154

Vesna Marjanović, Emina Požega, Miomir Mikić, Milutin Stojadinović INCREASING RECYCLING RATES IN THE FIELD OF CONSTRUCTION AND DEMOLITION WASTE MANAGEMENT BY IMPLEMENTING THE LEGAL ACT OF THE REPUBLIC OF SERBIA AND THE EUROPEAN UNION	160
Radmila Marković, Vesna Marjanović, Aleksandra Ivanović, Milutin Stojadinović CHARACTERISTICS OF COPPER POWDER OBTAINED AT LOWER VALUES OF CATHODE CURRENT DENSITY	166
Messai Ali, Berrekbia Linda, Meramria Ikram, Juan M. Menéndez-Aguado, Begoña Fernández Pérez, Vladimir Nikolić, Milan Trumić, Boustila Amir POTENTIAL OF USING ZINC PROCESSING TAILINGS (ZPT's) IN THE PRODUCTION OF BURNT CLAY BRICKS	171
Aleksandra Božić, Dominik Brkić, Marina Stamenović, Marija Miletić DETERMINATION OF PCB CONCENTRATION IN SOIL	179
Stefan Milanović, Nikola Simić, Lazar Kričak, Milanka Negovanović, Miljan Gomilanović, Nikola Đokić ENVIRONMENTAL IMPACT WITH THE GREENHOUSE GASES AND AIR POLLUTANT PREDICTION BY DRILLING AND BLASTING WORKS	184
Dragan Milošević, Jasmina Nešković, Pavle Stjepanović, Svetlana Polavder LANDFILL FOR COMBUSTION PRODUCTS FROM THE KOSTOLAC THERMOELECTRON	190
Fatma Arslan, Gülay Bulut EVALUATION OF MINERAL PROCESSING AND METALLURGICAL PLANTS WASTES	196
Abhishek Gupta, Tom Newman, Frank Hrach BENEFICIATION OF MINERAL ORES USING TRIBO-ELECTROSTATIC SEPARATOR	202
Valentin Alexeyevich Chanturia, Valeriy Valentinovich Morozov, Galina Petrovna Dvoichenkova, Elena Leonidovna Chanturia THE SELECTION OF APPLICATION MODES OF AGENTS MODIFYING DIAMOND SPECTRAL CHARACTERISTICS IN THE PROCESS OF X-RAY LUMINESCENCE SEPARATION	208
Valeriy Valentinovich Morozov, Galina Petrovna Dvoichenkova, Irina Vasilyevna Pestryak, Valentina Anatolyevna Chut-Dy UP-TO-DATE METHODS AND TECHNOLOGIES FOR IMPROVING THE PERFORMANCE OF FOAM SEPARATION OF DIAMOND-BEARING KIMBERLITES	214
Plamen Georgiev, Marina Nicolova, Irena Spasova, Mihail Iliev, Ralitsa Ilieva NON-FERROUS METALS BIOLEACHING FROM PYROMETALLURGY COPPER SLAG USING SPENT MEDIUM OF DIFFERENT FUNGAL SPECIES	220
Milica Zdravković, Vesna Grekulović, Edina Huseinović, Robert Vianello, Nada Štrbac, Melita Huremović, Milan Gorgievski UV-VIS IDENTIFICATION OF COPPER COMPLEXES WITH INHIBITOR ORGANIC COMPONENTS IN THE ELECTROLYTE	226

Moloud Nazeri, Maria Sinche-Gonzalez, Emad Abkhoshk DISSOLUTION KINETICS OF LOW-GRADE ZINC SILICATE ORE IN HYDROXIDE SOLUTION	232
Ivana Smičiklas, Mihajlo Jović, Jelena Amidžić, Snežana Dragović EVALUATION OF WASTE MATERIALS FOR CADMIUM REMOVAL: COMPARATIVE STUDY OF SORPTION CAPACITY AND STABILITY	238
Tanja Kalinović, Ana Radojević, Jelena Kalinović, Jelena Jordanović, Snežana Šerbula CASE STUDY ON METAL(LOID)S DISTRIBUTION IN LINDEN TREE PARTS, IN AREAS WITH HIGHT ENVIRONMENTAL POLLUTION	244
Branimir Farkaš, Ana Hrastov, Iva Štefičar POSSIBILITY OF INSTALLATION OF SOLAR POWER PLANTS IN EXPLOITATION SITES	250
Marija Simić, Marija Kovačević, Katarina Stojanović, Branislava Savić Rosić, Dragana Vasić Anićijević, Tanja Brdarić, Danka Aćimović ELECTROCHEMICAL OXIDATION OF BISPHENOL S WITH SnO ₂ -MWCNT ELECTRODES	256
Marija Simić, Marija Kovačević, Katarina Stojanović, Marija Ječmenica Dučić, Dragana Vasić Anićijević, Danka Aćimović, Tanja Brdarić COMPARATIVE STUDY OF ELECTROCHEMICAL DEGRADATION OF RHODAMINE B USING GLASSY CARBON, STAINLESS STEEL, AND NICKEL ELECTRODES	261
Marija Kovačević, Marija Simić, Katarina Stojanović, Danka Aćimović, Sanja Živković, Tanja Brdarić, Dragana Vasić Anićijević PHOTODEGRADATION OF CIPROFLOXACIN WITH COPPER-MODIFIED TITANIUM(IV)-OXIDE	267
Francielle Câmara Nogueira, Carlos Alberto Pereira, Leandro Vinícius Alves Gurgel, Stephânia da Consolação Silva Nogueira, Iranildes Daniel Santos PROCESS WATER REUSE IN IRON ORE FLOTATION: REDUCING AMINE CONSUMPTION	273
Jovica Sokolović, Ivana Đolović, Dejan Tanikić, Zoran Štirbanović, Ivana Ilić THE EFFECT OF PARTICLE SIZE ON THE FLOTATION KINETICS OF RAW AND WASTE COAL	279
Zuzana Danková, Alexandra Bekényiová, Zuzana Kollová, Erika Fedorová, Pavel Bačo, Jaroslav Briančin SLOVAK DOLOMITE AS A RAW MATERIAL SOURCE FOR METAL MAGNESIUM PRODUCTION	286
Fatma Arslan, Cüneyt Arslan RECYCLING OF WASTE CELL PHONES	292
Fulya Mennik, Nazlım İlkyaz Dinç, Beril Tanç Kaya, Firat Burat THE RECYCLING OF PLASTICS AND METALS FROM END-OF-LIFE NMC-TYPE ELECTRIC VEHICLE LITHIUM-ION BATTERIES USING SELECTIVE FROTH FLOTATION	298

Paul Delaney PERFORMANCE OF IRON ALUMINIUM AND COPPER IRON BIMETALLIC PARTICLES IN REMOVAL OF HEAVY METALS AND METALLOIDS	306
Samah S. Abdallah, Samah M. El-Sayed, Mohamed A. Abdel-Khalek SELECTIVE BIO-FLOCCULATION OF HEMATITE MINERAL USING BACILLUS SUBTILIS FOR PHOSPHOROUS REMOVAL FROM IRON ORES	313
Patrycja S. Bednarek, Nima Razavi, Przemyslaw B. Kowalczuk THE ROLE OF ADDITIVE MANUFACTURING IN MINERAL AND METAL EXTRACTION	320
Zeynep Üçerler Çamur, Tülay Türk, Murat Olgaç Kangal INVESTIGATION OF SURFACE PROPERTIES OF PVC FOR SELECTIVE RECOVERY	327
Martin Straka ELECTROCHEMISTRY OF INDIUM IN METHYL-TRIOCTYLAMMONIUM BIS(TRIFLUOROMETHYLSULFONYL)IMIDE IONIC LIQUID	333
Seyed Hamzeh Amiri, Maria Sinche-Gonzalez GRADE IMPROVEMENT OF IRON ORE CONCENTRATE BY APPLYING PLANT AUDITS, STANDARDIZATION AND PROCESS OPTIMIZATION	340
Henrique Dias Gatti Turrer, Josue Mesquita De Souza Junior, Gillian Nikka Omaga, Juliette Laine, Marcello Rodrigues Cruz, Nubia Bottosso, Vinicius Seerig ADVANCEMENTS IN MINERAL PROCESSING: COLLABORATIVE EFFORTS AND TECHNOLOGICAL INNOVATIONS AT ARCELORMITTAL	347
Zuzana Kollová, Pavel Bačo, Zuzana Danková, Zoltán Németh THE POTENTIAL SOURCES OF CRITICAL RAW MATERIALS IN SLOVAKIA	353
Amalia Andreas, Titus Nghipulile, Godfrey Dzinomwa SELF-FLOTATION OF GALENA IN A COMPLEX SULPHIDE ORE FROM A COPPER MINE IN NAMIBIA	359
Janine Rodrigues Figueiredo, Érica Linhares Reis, Arthur Silva de Oliveira PROCESSING OF FINE LITHIUM MINERAL TAILINGS	368
Theodor Steller, Stefan Eisert, Bernd G. Lottemoser EXPLORING ELECTROHYDRAULIC FRAGMENTATION FOR PROCESSING ELECTRIC ARC FURNACE SLAGS	375
Yergeshev Akim Ruslanovich, Tokpayev Rustam Rishatovich, Khavaza Tamina Narimanovna, Karmeyeva Marina, Naurzybayev Mikhail Kasymovich, Ignatkina Vladislava Anatolyevna REFRACTORY POLYMETALLIC ORES BY FLOTATION. DIRECTIONS FOR IMPROVING METALLURGICAL BALANCE	381
Valentine A. Chanturia, Igor Zh. Bunin, Maria Ryazantseva THE USE OF DIELECTRIC BARRIER DISCHARGE TO REGULATE THE TECHNOLOGICAL PROPERTIES OF CHALCOPYRITE AND SPHALERITE	389

Luis Verdugo, Barbara Etschmann, Maryam Abdus-Salam, Andrew Hoadley, Jorge Menacho, Joel Brugger MECHANOCHEMICAL LEACHING OF CHALCOPYRITE IN LOW MOISTURE CONDITIONS	395
Miomir Mikić, Milenko Jovanović, Radmilo Rajković, Daniel Kržanović, Sandra Milutinović RECOLTIVATION PROCEDURE OF FLOTATION TAILINGS AT THE LOCATION OF RTH IN BOR	401
Vandana Kumari Jha, Christophe Duwig, Samaneh Teimouri, Kerstin Forsberg METAL RECOVERY FROM SPENT BATTERIES THROUGH ANTISOLVENT CRYSTALLIZATION IN A T-MIXER USING A COUPLED CFD-PBE APPROACH	407
Luka Ceyskens, Nina Miladinović, Giuseppe Granata, Tom Van Gerven MECHANOCHEMICAL ACTIVATION OF ARGON OXYGEN DECARBURIZATION SLAGS FOR IMPROVED MINERAL CARBONATION	413
Miomir Mikić, Vesna Marjanović, Emina Požega, Radmilo Rajković TREATMENT OF ACIDIC MINE WATERS BY THE NEUTRALIZATION PROCESS	416
Julio Valenzuela Elgueta, Silvia Ahualli Yapur, Angel Vicente Delgado Mora INFLUENCE OF CATIONIC SURFACTANTS ON THE ELECTROKINETIC PROPERTIES AND STABILITY OF SILICA-KAOLINITE SUSPENSIONS UNDER COPPER HYDROMETALLURGY CONDITIONS	422
Dragana Medić, Maja Nujkić, Žaklina Tasić, Vladan Nedelkovski, Stefan Đorđievski, Slađana Alagić, Snežana Milić CHARACTERIZATION OF ELECTRODE MATERIALS FROM SPENT BATTERIES IN THE PROCESS OF RECOVERING VALUABLE METALS	429
Stefan Đorđievski, Dragana Adamović, Miloš Đukić, Ana Petrović, Jelena Petrović, Zoran Štirbanović IMPROVEMENT OF BOR RIVER WATER QUALITY THROUGH TREATMENT AND RECIRCULATION OF MINING AND METALLURGICAL WASTEWATER	435
Kristina Pavićević, Danica Jovašević, Maja Rajković, Ivana Jelić, Marija Janković, Marija Šljivić-Ivanović BIOCHAR IN WASTEWATER REMEDIATION: A BRIEF REVIEW OF CHARACTERISTICS AND PREPARATION MATERIALS	441
Semra Kurama, Hüseyin Boğaç Poyraz, Zahide Bayer Öztürk A PROPOSAL FOR ZERO WASTE IN THE IRON AND STEEL INDUSTRY: ZIRCONIA NOZZLE WASTE EVALUATION	449
Boris Borche Fidanchev, Afrodita Zendelska NEW SAG-BALL MILL AND FLOTATION LINE FOR RECONSTRUCTING OF “ZLETOVO” FLOTATION PLANT-PROBISHTIP, NORTH MACEDONIA	457
Nela Vujović, Vesna Alivojvodić, Dragana Radovanović, Marija Štulović, Miroslav Sokić, Filip Kokalj POTENTIAL OF RECYCLING AND REUSE MINING WASTE IN SERBIA: CHALLENGES AND PROSPECTS	463

Haldun Kurama DISSOLVED AIR FLOTATION: IS IT REALLY A SUITABLE SOLUTION FOR INDUSTRIAL PURIFICATION PROCESSES?	469
Carmen M. Neculita, Flavia L. Braghiroli VALORIZATION OF RESIDUAL MATERIALS IN THE PREVENTION AND TREATMENT OF CONTAMINATED MINE WATER AND AIR	476
Vladimir Topalović, Ana Vujošević, Anja Antanasković, Veljko Savić, Marija Djošić, Zorica Lopičić, Jelena Nikolić CHEMICAL STABILITY AND FERTILIZER EFFICIENCY OF BIOGLASS AND BIOCHAR ON ROSE PLANTINGS	483
Vladimir Topalović, Veljko Savić, Marija Djošić, Danijela Smiljanić, Snežana Zildžović, Snežana Grujić, Jelena Nikolić THE EFFECT OF FLUXING AGENT CATIONS IN FLY ASH-BASED GLASS ON CHEMICAL STABILITY	490
Aleksandar Cvetković, Marija Petrović Mihajlović, Žaklina Tasić, Milan Radovanović, Ana Simonović, Vladan Nedelkovski INFLUENCE OF ORGANIC COMPOUND STRUCTURE ON BRASS CORROSION INHIBITION EFFICIENCY	497
Aleksandar Cvetković, Vladan Nedelkovski, Dragana Medić, Sonja Stanković, Žaklina Tasić, Milan Radovanović, Snežana Milić WASTE TO RESOURCE TRANSFORMATION: INNOVATIVE APPROACHES TO RECYCLING CATHODE MATERIALS FROM LITHIUM-ION BATTERIES	503
Gašper Tavčar, Davide Mombelli, Carlo Mapelli, Gianluca Dall'Osto, Dragan Radulović, Ivica Ristović, Mateusz Ciszewski, Jasna Kastivnik, Ana Mladenović, Alenka Mauko Pranjič OPTIMIZING METAL RECOVERY FROM EAF DUST: A COMPREHENSIVE APPROACH BEYOND THE WAEZ KILN PROCESS	509
Amir Mohammad Bidmeshki, Mahmoud Abdollahy SOLVENT EXTRACTION OF La, Ce, AND Nd ELEMENTS FROM THE NiMH BATTERIES LEACH SOLUTION	515
Igor Zh. Bunin LOW-TEMPERATURE ATMOSPHERIC PLASMA IN THE COMPLEX PROCESSING OF HARD-BENEFICIATION MINERAL RAW MATERIALS	522
Xiaopeng Peng, Lijie Guo, Xingshan Jin THE STUDY ON THE STRESS CHARACTERISTICS OF BACKFILL BARRICADE IN UNDERGROUND METAL MINES BASED ON SIMULATION EXPERIMENTS	529
Sonja Stanković, Vladan Nedelkovski, Milan Radovanović, Stefan Đorđievski, Dragana Medić, Snežana Milić SUSTAINABLE PRODUCTION OF GRAPHENE OXIDE AND ZINC OXIDE NANOPARTICLES FROM SPENT Zn-C BATTERIES	537

Jasna Kastivnik, Gašper Tavčar, Dragan Radulović ENHANCING EU ECONOMIC RESILIENCE: EXPLORING NEW SOURCES AND BENEFICIATION OF CRITICAL RAW MATERIALS NIOBIUM AND TANTALUM FROM CENTRAL AFRICA	543
Džafer Dautbegović, Mirsada Hasanbašić THE IMPACT OF THE TRANSFER STATION ON THE ORGANIZATION OF MUNICIPAL WASTE COLLECTION	549
Genc Demi, Bukurosh Koci, Islam Nika RECYCLING OF CHROMIUM TAILINGS IN BULQIZA PLANT	556
Mafeni Samuel Ramatsoma, Veruska Govender, Deshenthree Chetty, Olga Bazhko KINETIC AMD PREDICTION FOR A MINE TAILINGS DUMP: A SOUTHERN AFRICAN MINE CASE STUDY	562
Dragan S. Radulović, Jovica Stojanović, Gašper Tavčar, Vladimir Jovanović, Dejan Todorović, Branislav Ivošević, Sonja Miličević CHARACTERIZATION OF AN ORE SAMPLE FROM CONGO BASED ON TANTALUM AND NIOBIUM FOR POSSIBLE FURTHER TECHNOLOGICAL TESTS	568
Dragan S. Radulović, Jovica Stojanović, Grozdanka Bogdanović, Vladimir Jovanović, Dejan Todorović, Branislav Ivošević, Vladimir Simić STUDY OF MINERALOGICAL AND PHYSICOCHEMICAL PROPERTIES OF SAMPLES OF FLOTATION TAILINGS "RUDNIK" MINE	575
Sara Živojinović, Živko Đorović, Miloš Vuleta OPTIMIZATION RECYCLING IN IRON AND STEEL METALLURGY: UTILIZATION OF BY-PRODUCTS FOR EFFICIENCY AND SUSTAINABILITY	581
Aleksandra Milosavljević, Marijana Pavlov - Kagadejev, Ana Kostov IR CAMERA APPLICATION IN CONTROL OF THE CURRENT STATE OF AN INDUCTION FURNACE IN LABORATORY CONDITIONS	587
Kostović Milena, Bajić Sanja WASTE FOUNDRY SAND REGENERATION	592
Ilhan Bušatlić, Nadira Bušatlić, Nevzet Merdić, Nedžad Haračić, Lejla Mujezinović GEOPOLYMERS BASED ON FLY ASH WITH THE ADDITION OF GRANULATED BLAST FURNACED SLAG	598
Sadaf Samadi-Tavanaa, Saeid Karimi, Mehdi Pourabdoli, Zoran Štirbanović RECYCLING OF PRINTED CIRCUIT BOARDS (PCBS) USING VARIOUS DEEP EUTECTIC SOLVENTS (DESS) AND INSIGHTS FROM DFT SIMULATIONS	605
Kristina Muntu, Jean-Gabriel Fraboulet, Sean Salour, Christine Bonnet, Enkhzul Bayarmagnai, Brian K. Cook, Massoud Aghamirian VARIABILITY IN FLOTATION PERFORMANCE OF LEPIDOLITE SAMPLES FROM THE EMILI DEPOSIT, FRANCE	613

Titus Nghipulile, Theophile Mwaku, Godfrey Dzinomwa, Benjamin Mapani, Jaquiline Tatenda Kurasha REPROCESSING OLD MINE TAILINGS TO RECOVER COPPER AND PRECIOUS METALS USING FROTH FLOTATION	620
Sonja Milićević, Jovica Stojanović, Ivana Jelić, Snežana Zildžović, Vladimir Jovanović, Dejan Todorović ZEOLITE ACID (UN)STABILITY AS MAJOR DISADVANTAGE FOR ITS HUMAN CONSUMPTION	626
Paweł Tomach, Jacek Feliks, Marta Łuczak, Grzegorz Fabijański INVESTIGATION OF ULTRA-FINE GRINDING OF AGGLOMERATED BASALT DUST	632
Francesco Ferella, Svetlana B. Zueva, Ionela P. Birloaga, Valentina Innocenzi, Nicolò M. Ippolito, Francesco Vegliò PRODUCTION OF HIGH-PURITY QUARTZ FOR OPTICAL APPLICATIONS	639
Roshanak Adavodi, Adriana Zuffranieri, Soroush Rahmati, Pietro Romano, Francesco Ferella, Francesco Vegliò SELECTIVE EXTRACTION OF MOLYBDENUM, NICKEL, AND COBALT FROM SECONDARY RESOURCES USING BIFUNCTIONAL IONIC LIQUIDS	646
Predrag Stolić, Zoran Jovanović, Željko Mravik, Marko Jelić, Sonja Jovanović SELECTED ASPECTS OF SENSOR APPLICATION IN THE DESIGN AND IMPLEMENTATION OF INTELLIGENT INSTRUMENTATION FOR RECYCLING SYSTEMS	652
Maja Trumić, Katarina Balanović, Tamara Gavrilović PREDICTION OF RESULTS OF FLOTATION PROCESS USING ARTIFICIAL NEURAL NETWORKS	659
Tomasz Suponik, Paweł Friebe, Umut Kar, Dawid Franke, Pengbo Chu FINANCIAL AND TECHNOLOGICAL POTENTIAL OF ECO-EFFICIENT RECYCLING OF WASTE ELECTRONIC EQUIPMENT	665
David Oluwasegun Afolayan, Adamu Hassan Abubakar, Samuel Olumide Ogunmodimu GRAVITY CONCENTRATION OF FINE PARTICLES COMPLEX ORES-CONTAINING BARYTE USING LABORATORY-BUILT MINERAL JIG	674
Olajuyi Seun Isaiah, Afolayan David Oluwasegun, Ogunmodimu Samuel Olumide PRELIMINARY INVESTIGATION ON NIGERIAN LITHIUM ORES FOR EFFICIENT LITHIUM OXIDE EXTRACTION	681
Anđelija Bogdanović, Hassene Affouri, Ivan Kojić, Ksenija Stojanović ORIGIN, DEPOSITIONAL ENVIRONMENT AND MATURITY OF ORGANIC MATTER IN EOCENE COALS FROM TUNISIA	690
Andriela Dutra Norberto de Oliveira, Luis Gonzaga Santos Sobral, Armando Lucas Cherem da Cunha THE INFLUENCE OF DIFFERENT FORMS OF MINERAL PROCESSING ON THE BIO-OXIDATION OF SULPHIDE MINERALS BEARING GOLD	696

Andriela Dutra Norberto de Oliveira, Luis Gonzaga Santos Sobral, Armando Lucas Cherem da Cunha BIODESULPHURISING HIGH SULPHUR CONTENT TAILINGS FROM COAL MINING IN BRAZIL	702
ABSTRACTS	707
Maria Cristina Vila, Maria Lurdes Dinis, Laura Ferrando-Climent, Nirosham Gajendra, Deniz Avsar, Duygu Yilmaz, Erika Levei, Iulia Török INNOVATIVE PRE-FEASIBILITY STUDIES TOWARDS THE SUSTAINABLE PRODUCTION OF RARE EARTH CONCENTRATES FOR SELF-SUPPLY IN EUROPE	709
Randal Tzeou Hah Fauline, Agnès Grandjean, Antoine Leydier, Emeric Brun, Florian Herbelet, Xavier Heres, Justine Taurines MODELING AND SIMULATION OF SOLID PHASE EXTRACTION FOR LEACHED ORE PURIFICATION	711
Michelle Airah N. Pablo, Joshua P. Pocaan, Jacob Louies Rohi W. Paulo, Piolo N. Gervacio, Arnel B. Beltran, Carla Mae J. Pausta, Aileen H. Orbecido LEACHING OF CALCIUM FROM PHOSPHOGYPSUM FOR CARBON SEQUESTRATION	712
Michael Angelo B. Promentilla A PROBLEMATIQUES APPROACH FOR UNDERSTANDING CIRCULAR ECONOMY INTEGRATION BARRIERS IN THE MINING AND MINERAL PROCESSING SECTOR	713
Joshua Pocaan, Brian Gerald Bueno, Jaica Mae Pagaduan, Aileen Orbecido, Carlito Tabelin, Ana Santos, Anne Jungblut, Vannie Joy Resabal, Renan Ma. Tanhueco, Michael Angelo Promentilla, Arnel Beltran DEVELOPMENT OF LIMESTONE-BASED PASSIVE TREATMENT SYSTEM FOR COPPER-RICH ACID MINE DRAINAGE	714
Mathilde Perrin, Emmanuel Billy BLACKMASS FLOTATION OF END-OF-LIFE BATTERIES: HOW TO DO WITHOUT PRE-TREATMENT?	715

CHARACTERIZATION OF ELECTRODE MATERIALS FROM SPENT BATTERIES IN THE PROCESS OF RECOVERING VALUABLE METALS

Dragana Medić^{1#}, 0000-0001-9980-5949,
Maja Nujkić¹, 0000-0002-6110-5135,
Žaklina Tasić¹, 0000-0001-6544-1980,
Vladan Nedelkovski¹, 0000-0001-7724-1118,
Stefan Đorđievski², 0000-0003-1737-8766,
Slađana Alagić¹, 0000-0002-2893-9285,
Snežana Milić¹, 0000-0002-5000-9156,

¹University of Belgrade, Technical Faculty in Bor, Bor, Serbia

²Mining and Metallurgy Institute Bor, Bor, Serbia

ABSTRACT – The chemical and phase analysis of electrode materials from spent batteries is essential for identifying recyclable components and optimizing metal recovery processes. In this study, the electrode material from a spent cell of an unknown manufacturer was analyzed using inductively coupled plasma mass spectrometry (ICP-MS) and powder X-ray diffraction (XRD). XRD results revealed that the anode material consists of three crystalline phases: NiO, LaCoO₃, and CeO₂, while the cathode material contains Ni(OH)₂ and Ni. ICP-MS analysis confirmed the presence of lanthanides in the anode material. Given that lanthanide deposits are concentrated in only a few countries, their recovery from spent batteries presents an opportunity for nations without natural reserves to secure their supply through recycling. This study highlights the potential for sustainable resource management by recovering metals from electronic waste.

Keywords: Recycling, Spent batteries, Characterization, Lanthanide.

INTRODUCTION

The increasing demand for battery materials has led to growing concerns about the depletion of natural resources and the environmental impact of waste disposal. Spent batteries, including lithium-ion (LIBs) and nickel-metal hydride (NiMH) batteries, contain valuable metals such as lithium (Li), cobalt (Co), nickel (Ni), and lanthanides, making them an important secondary source of these critical raw materials [1,2].

Among these critical materials, lanthanides play a key role in battery electrodes and are classified by the European Union (EU) as critical raw materials (CRMs) due to their strategic and economic importance. However, the global supply of rare earth elements (REEs) is highly concentrated in a few countries, particularly China, raising concerns over supply security. To address this issue, the recovery of lanthanides and other valuable

[#] corresponding author: dmedic@tfbor.bg.ac.rs

metals from spent batteries offers an opportunity to reduce dependence on primary sources and promote a circular economy. Hydrometallurgical, pyrometallurgical, and other methods were explored to enhance the efficiency of metal recovery [3].

Given the growing need for sustainable resource management, modern materials science is shifting from merely improving material properties to optimizing the reuse of secondary raw materials. The complexity of these multi-component materials requires detailed characterization to facilitate their reintegration into new applications. Understanding their chemical and structural composition is crucial for developing efficient recycling strategies and ensuring the quality of recovered materials [4].

To evaluate the quality and applicability of recycled materials, several analytical techniques are employed. Inductively coupled plasma mass spectroscopy (ICP-MS) is widely used to determine the concentrations of metals, while X-ray Diffraction (XRD) plays a critical role in determining the phase composition of the samples [5].

By integrating sustainable recycling strategies with advanced material characterization techniques, the recovery process can contribute to a more efficient and environmentally friendly battery supply chain. In this study, the recovered materials were analyzed using XRD to determine their phase composition and ICP-MS to assess their chemical composition, providing essential insights into their suitability for reuse.

EXPERIMENTAL

Sample Preparation

The analyzed sample was a spent battery from an unknown manufacturer. After opening the battery, six individual cells were extracted and fully discharged to prevent short circuits before disassembly. Using a hacksaw, the cell terminals were removed, followed by a longitudinal cut to separate the plastic casing, metal casing, anode, cathode, and separator (Figure 1). The anodic material was thermally treated at 580°C for 10 minutes to detach it from the current collector. Both anodic and cathodic materials were then ground into a fine powder using an agate mortar and pestle.




Figure 1 Basic components of a battery

Analytical Techniques

The metals from the recovered anode material were extracted using acid digestion. A 0.375 g sample was treated with 15 mL of aqua regia (a mixture of HCl and HNO₃), leaving behind a small portion of undissolved residue. The resulting solution was diluted to 100 mL with deionized water in a volumetric flask, then further diluted 25-fold in a 25 mL volumetric flask. Additional dilutions of 10-, 100-, and 10,000-fold were prepared to ensure that element concentrations fell within the linear range of the calibration curve before analysis using ICP-MS (PerkinElmer NexION 1000). Multi-element calibration standards (AccuStandard PE-MECAL2-ASL-1 and MES-21-1) were used for calibration and quality control of the measurements.

To accommodate the wide range of element concentrations, multiple dilutions were necessary, as their levels spanned several orders of magnitude. However, extensive dilution can introduce greater analytical errors, particularly for elements present in higher concentrations, potentially affecting measurement accuracy. The standard deviations between different dilutions ranged from 1.0% to 28.4%, indicating variable repeatability for different elements. Additionally, the obtained element concentrations do not represent the total elemental content of the sample, as an undissolved residue remained after digestion. Therefore, the determined values should be interpreted as the fractions extracted by aqua regia, rather than the total elemental concentrations.

The phase composition of the cathode and anode materials was characterized using powder X-ray diffraction (XRD). Measurements were carried out on a Rigaku MiniFlex 600 diffractometer equipped with a high-speed D/teX Ultra 250 detector and a copper anode X-ray tube. Data were collected over a 3–90° 2θ range with a step size of 0.02° and a scan speed of 10°/min. The instrument operated at 40 kV and 15 mA. Phase identification was performed using PDXL 2 software (Version 2.4.2.0), with diffractograms compared with reference patterns from the ICDD PDF-2 2015 database.

RESULTS AND DISCUSSION

Chemical Composition Analysis

The elemental composition of the anode material was analyzed to assess the presence of valuable metals and rare earth elements (REEs). The results (Table 1) indicate a high concentration of lanthanides, with lanthanum (14.6 %), neodymium (1.85 %), and cerium (1.32 %) as the most abundant. These elements, crucial for electrochemical performance, highlight the potential for REE recovery from spent batteries. Additionally, significant amounts of nickel (7.33 %) and manganese (3.07 %) were detected, confirming their role as key electrode components. The presence of cobalt (1.03 %) and copper (0.14 %) suggests recovery potential for secondary applications, while yttrium (0.20 %) and gadolinium (0.06 %) further emphasize the importance of recycling REEs.

Table 1 Elemental chemical composition (%) of the anode material

Element	Ce	Gd	La	Nd	Pr	Y	Co	Cu	Li	Mn	Ni
Content (%)	1.32	0.06	14.6	1.85	0.58	0.20	1.03	0.14	<0.01	3.07	7.33

A similar study was conducted by Bertuol *et al.* [6], who characterized five different NiMH batteries and concluded that the chemical composition of spent NiMH batteries can vary significantly depending on battery type, manufacturer, and intended application.

These findings reinforce the need for sustainable recycling strategies to minimize environmental impact and secure critical raw materials for future applications. Efficient recovery methods can support the circular economy by reducing dependence on primary sources and promoting the reuse of valuable metals.

Phase Composition Analysis

To determine the phase composition of the recovered materials, XRD analysis was conducted on both the anode and cathode samples. The resulting diffraction patterns provide insights into the phase composition of these materials, which are essential for evaluating their suitability for reuse and further processing. The diffractograms of anode and cathode materials are presented in Figures 2 and 3, respectively.




Figure 2 Diffractogram of the anode material

The diffractogram of the anode material (Figure 2) confirms the presence of three crystalline phases, identified as lanthanum cobalt oxide (LaCoO_3), nickel oxide (NiO), and cerium dioxide (CeO_2). These findings are in agreement with the results reported by Kanamori *et al.* [7], who also identified NiO , CeO_2 , and LaCoO_3 as the main phases recovered from NiMH battery waste by chemical separation methods. Their study further demonstrated the applicability of these oxides as catalysts in methane dry reforming, emphasizing their potential for both metal recovery and functional reuse.

Other elements, such as Gd, Nd, Pr, Y, Cu, and Mn, may substitute for La, Co, Ce, and Ni within these crystalline structures. However, the exact distribution of these elements cannot be determined solely by XRD analysis, as phase identification relies on peak positions, which may overlap among different crystalline phases. Additionally, the XRD pattern exhibits well-defined peaks with no significant amorphous background, indicating a high degree of crystallinity in the analyzed sample.

The composition of the original NiMH anode typically consists of a metal alloy primarily composed of Ce, La, Pr, Nd, Ni, Co, Mn, and Al [8]. The detection of LaCoO_3 and NiO suggests that oxidation occurred during the annealing process, which was used to separate the anodic material from the current collector. Additionally, the formation of CeO_2 further confirms the oxidation of rare earth elements, emphasizing the impact of thermal treatment on the phase composition. These findings reinforce the need to optimize recycling processes to maximize the efficient recovery of critical raw materials.

The diffractogram of the cathode material (Figure 3) reveals two distinct crystalline phases, with the identified peaks corresponding to $\beta\text{-Ni}(\text{OH})_2$, which is a more abundant phase, and metallic nickel (Ni), which is less abundant. The presence of $\beta\text{-Ni}(\text{OH})_2$ indicates a nickel hydroxide phase, which is characteristic of secondary battery cathode materials. This observation is consistent with previous studies, including the work of Batsukh *et al.* [9], which identified $\beta\text{-Ni}(\text{OH})_2$ as a major phase in the cathode materials of spent NiMH batteries. These findings provide essential insights into the structural properties of the recovered cathode material, which are crucial for determining its feasibility for further processing and reuse in battery recycling applications.




Figure 3 Diffractogram of cathode material

CONCLUSION

The characterization of electrode materials from spent NiMH batteries revealed significant amounts of valuable metals such as nickel, cobalt, and rare earth elements. Chemical and phase analyses identified stable oxide phases, including NiO, CeO_2 , and LaCoO_3 , indicating a high degree of stability and well-defined metal speciation within the electrode structure. These insights are essential for optimizing recycling processes, as they enable selective planning of extraction and separation methods. While some oxides, such as NiO, can be readily reduced and used as raw materials, rare earth oxides require more intensive approaches, including reduction, complexation, or thermal treatment.

In addition to metal recovery, the obtained materials also show potential for direct functional applications, including catalysis and photocatalysis, further increasing the value of these secondary raw materials. This approach contributes not only to the

economic viability but also to the sustainability of recycling processes. Understanding the mineralogical and chemical forms of metals in battery waste is key to developing efficient and environmentally friendly technologies that enable the implementation of circular economy principles.

ACKNOWLEDGEMENT

The research presented in this paper was done with the financial support of the Ministry of Education, Science and Technological Development of the Republic of Serbia, within the funding of the scientific research work at the University of Belgrade, Technical Faculty in Bor, according to the contract number 451-03-137/2025-03/ 200131, and within the funding of the scientific research work at the Mining and Metallurgy Institute Bor, according to the contract number 451-03-136/2025-03/200052.

REFERENCES

1. Ahn, N.-K., Shim, H.-W., Kim, D.-W., Swain, B. (2020) Valorization of waste NiMH battery through recovery of critical rare earth metal: A simple recycling process for the circular economy. *Waste Management*, 104, 254–261.
2. Sarkar, M., Hossain, R., Sahajwalla, V. (2024) Sustainable recovery and resynthesis of electroactive materials from spent Li-ion batteries to ensure material sustainability. *Resources, Conservation & Recycling*, 200, 107292.
3. Ahn, N.-K., Swain, B., Shim, H.-W., Kim, D.-W. (2019) Recovery of rare earth oxide from waste NiMH batteries by simple wet chemical valorization process. *Metals*, 9, 1151.
4. Nogueira, C.A., Margarido, F. (2007) Chemical and physical characterization of electrode materials of spent sealed Ni–Cd batteries. *Waste Management*, 27, 1570–1579.
5. Lie, J., Lin, Y.-C., Liu, J.-C. (2021) Process intensification for valuable metals leaching from spent NiMH batteries. *Chemical Engineering & Processing: Process Intensification*, 167, 108507.
6. Bertuol, D.A., Bernardes, A.M., Tenório, J.A.S. (2006) Spent NiMH batteries: Characterization and metal recovery through mechanical processing. *Journal of Power Sources*, 160, 1465–1470.
7. Kanamori, T., Matsuda, M., Miyake, M. (2009) Recovery of rare metal compounds from nickel–metal hydride battery waste and their application to CH₄ dry reforming catalyst. *Journal of Hazardous Materials*, 169, 240–245.
8. Marins, A.A.L., Boasquevisque, L.M., Muri, E.J.B., Freitas, M.B.J.G. (2022) Environmentally friendly recycling of spent Ni–MH battery anodes and electrochemical characterization of nickel and rare earth oxides obtained by sol–gel synthesis. *Materials Chemistry and Physics*, 280, 125821.
9. Batsukh, I., Adiya, M., Lkhagvajav, S., Galsan, S., Gansukh, M., Batmunkh, M. (2024) Recovering nickel-based materials from spent NiMH batteries for electrochemical applications. *ChemElectroChem*, 11, e202400135.