

University of Belgrade
Technical Faculty in Bor
Mining and Metallurgy
Institute Bor



56th International
October Conference
on Mining and Metallurgy
PROCEEDINGS

Editors:

Ljubiša Balanović

Dejan Tanikić



22-25 October 2025,
Bor Lake, Serbia

University of Belgrade
Technical Faculty in Bor
Mining and Metallurgy
Institute Bor



56th International
October Conference
on Mining and Metallurgy
PROCEEDINGS

Editors:

Ljubiša Balanović

Dejan Tanikić



22-25 October 2025,
Bor Lake, Serbia

**PROCEEDINGS,
56th INTERNATIONAL OCTOBER CONFERENCE
on Mining and Metallurgy**

Editors:

Prof. dr Ljubiša Balanović

Prof. dr Dejan Tanikić

University of Belgrade - Technical Faculty in Bor

Technical Editors:

MSc Miljan Marković

MSc Kristina Božinović

University of Belgrade - Technical Faculty in Bor

Proceedings cover design:

MSc Aleksandar Cvetković,

University of Belgrade - Technical Faculty in Bor

Publisher: University of Belgrade - Technical Faculty in Bor

For the publisher: Dean Prof. dr Dejan Tanikić

Circulation: 200 copies

Publication Place, Year: Bor, 2025

Printed by “*GRAFIKA GALEB DOO*” NIŠ, 2025

CIP - Каталогизacija у публикацији Народна библиотека Србије, Београд

622(082)(0.034.2)

669(082)(0.034.2)

**INTERNATIONAL October Conference on Mining and Metallurgy (56 ; 2025 ;
Bor Lake)**

Proceedings [Elektronski izvor] / 56th International October Conference on Mining and Metallurgy - IOC 2025, 22-25 October, 2025, Bor Lake, Serbia ; [organized by] University of Belgrade, Technical Faculty in Bor and Mining and Metallurgy Institute Bor ; editors Ljubiša Balanović, Dejan Tanikić. - Bor : University of Belgrade, Technical Faculty, 2025 (Niš : Grafika Galeb). - 1 USB fleš memorija ; 1 x 1 x 5 cm

Sistemski zahtevi: Nisu navedeni. - Nasl. sa naslovne strane dokumenta. - Tiraž 200. - Preface / Ljubiša Balanović. - Bibliografija uz svaki rad.

ISBN 978-86-6305-164-5

a) Рударство -- Зборници b) Металургија -- Зборници

COBISS.SR-ID 177493257

Bor Lake, Serbia, October 22-25, 2025



The conference is financially supported by
The Ministry of Science, Technological
Development and Innovation
of the Republic of Serbia

Platinum Donors

HBIS SERBIA



Gold Sponsor



Gold Donors



Silver Donor



Exhibitions



KRUG INTERNATIONAL LTD.



Donor of official opening



Friends of the Conference



**CHINA-SERBIA
JOINT LABORATORY
ON GREEN STEEL
MANUFACTURING**

HBIS and University of Belgrade



**THE FOUNDATION
'B.SC. ENG. BOŠKO INJAC'**

SCIENTIFIC COMMITTEE

Prof. Dr Dejan Tanikić, University of Belgrade, Technical Faculty in Bor (Serbia) - president
Prof. Dr Nada Štrbac, University of Belgrade, Technical Faculty in Bor (Serbia) - vice-president
Prof. Dr Radoje Pantović, University of Belgrade, Technical Faculty in Bor (Serbia) - vice-president
Dr Ana Kostov, Mining and Metallurgy Institute Bor (Serbia) - vice-president

Prof. Dr Milan Antonijević, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Hasan Avdušinović, University of Zenica, Faculty of Engineering and Natural Sciences (Bosnia and Herzegovina)
Dr Ana Alil, University of Belgrade, Institute of Chemistry, Technology and Metallurgy (Serbia)
Prof. Dr Ljubiša Balanović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Farzet Bikić, University of Zenica, Faculty of Engineering and Natural Sciences (Bosnia and Herzegovina)
Prof. Dr Grozdanka Bogdanović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Pavel Broz, Masaryk University, Faculty of Science, Department of Chemistry (Czech Republic)
Dr Mile Bugarin, Mining and Metallurgy Institute Bor (Serbia)
Prof. Dr Ilhan Bušatlić, University of Zenica, Faculty of Engineering and Natural Sciences (Bosnia and Herzegovina)
Prof. Dr Nicanor Cimpoesu, Gheorghe Asachi Technical University from Iasi (Romania)
Prof. Dr Mira Cocić, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Vladan Čosović, University of Belgrade, Institute of Chemistry, Technology and Metallurgy (Serbia)
Prof. Dr Pasquale D. Cavaliere, University of Salento, Department of Innovation Engineering (Italy)
Prof. Dr Kemal Delijić, University of Montenegro, Faculty of Metallurgy and Technology (Montenegro)
Prof. Dr Nikhil Dhawan, Indian Institute of Technology, Department of Metallurgical and Materials Engineering (India)
Prof. Dr Savas Dilibal, Istanbul Gedik University, Department of Mechatronics Engineering (Turkey)
Prof. Dr Aleksandar Dimitrov, Ss. Cyril and Methodius University in Skopje, Faculty of Technology and Metallurgy (Republic of North Macedonia)
Prof. Dr Natalija Dolić, University of Zagreb, Faculty of Metallurgy (Croatia)
Prof. Dr Yong Du, Central South University Changsha (China)
Prof. Dr Luis Filipe Malheiros, University of Porto, Faculty of Engineering (Portugal)
Prof. Dr Almaida Gigović-Gekić, University of Zenica, Faculty of Engineering and Natural Sciences (Bosnia and Herzegovina)
Prof. Dr Mirko Gojić, University of Zagreb, Faculty of Metallurgy (Croatia)
Prof. Dr Adam Grajcar, Silesian University of Technology, Department of Engineering Materials and Biomaterials (Poland)
Prof. Dr Vesna Grekulović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Daniela Grigorova, University of Chemical Technology and Metallurgy, Faculty of Metallurgy and Material Science (Bulgaria)
Prof. Dr Stojan Groudev, University of Mining and Geology "Saint Ivan Rilski" (Bulgaria)
Prof. Dr Dragoslav Gusković, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Tomaš Havlik, Institute of Recycling Technologies, Faculty of Materials, Metallurgy and Recycling, Technical University of Kosice (Slovakia)
Prof. Dr Karl Heinz Spitzer, Technical University of Clausthal, Institute for Metallurgy (Germany)
Dr Slavomír Hredzák, Institute of Geotechnics of the Slovak Academy of Sciences (Slovakia)
Prof. Dr Svetlana Ivanov, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Dejan Ivezić, University of Belgrade, Faculty of Mining and Geology (Serbia)
Mirjam Jan-Blažič, Slovenian Foundry Society (Slovenia)
Prof. Dr Dominika Jendrzeczyk-Handzlik, AGH University of Science and Technology in Kraków, Faculty of Non-Ferrous Metals (Poland)
Prof. Dr Željko Kamberović, University of Belgrade, Faculty of Technology and Metallurgy (Serbia)
Prof. Dr György Kaptay, University of Miskolc, Faculty of Materials and Metallurgical Engineering (Hungary)
Dr Vladan Kašić, Institute for Technology of Nuclear and other Mineral Raw Materials (Serbia)

Prof. Dr Vladislav Kecojević, West Virginia University (USA)
Dr Dragan Komljenović, Research Institute, Hydro-Québec (Canada)
Prof. Dr Komnitsas Konstantinos, Technical University of Crete, School of Mineral Resources Engineering (Greece)
Prof. Dr Borut Kosec, University of Ljubljana, Faculty of Natural Science and Engineering (Slovenia)
Prof. Dr Maria Krasteva, University of Chemical Technology and Metallurgy, Faculty of Metallurgy and Material Science (Bulgaria)
Prof. Dr Vladimir Krstić, Functional Materials Manufacturing, Inc. (Canada)
Prof. Dr Stefan Kuvendžiev, Ss. Cyril and Methodius University in Skopje, Faculty of Technology and Metallurgy (Republic of North Macedonia)
Prof. Dr Silvia Lavrova-Popova, University of Chemical Technology and Metallurgy, Faculty of Chemical and Systems Engineering (Bulgaria)
Dr Milenko Ljubojev, Engineering Academy of Serbia (Serbia)
Prof. Dr Xuewei Lv, Chongqing University, School of Materials Science and Engineering (China)
Prof. Dr Nedeljko Magdalinović, Engineering Academy of Serbia (Serbia)
Prof. Dr Dragan Manasijević, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Vaso Manojlović, University of Belgrade, Faculty of Technology and Metallurgy (Serbia)
Prof. Dr Boštjan Markoli, University of Ljubljana, Faculty of Natural Science and Engineering (Slovenia)
Dr Branislav Marković, Institute for Technology of Nuclear and other Mineral Raw Materials (Serbia)
Prof. Dr Desimir Marković, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Ivana Marković, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Nobuyuki Masuda, Tokyo University of Science, Faculty of Advanced Engineering (Japan)
Prof. Dr Jožef Medved, University of Ljubljana, Faculty of Natural Science and Engineering (Slovenia)
Vladan Mihailović, Executive Director for Production at HBIS Serbia (Serbia)
Prof. Dr Ivan Mihajlović, Faculty of Mechanical Engineering, University of Belgrade (Serbia)
Dr Dragan Milanović, Mining and Metallurgy Institute Bor (Serbia)
Prof. Dr Snežana Milić, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Dragan Milovanović, University of Belgrade, Faculty of Mining and Geology (Serbia)
Prof. Dr Duško Minić, University of Priština, Faculty of Technical Sciences (Serbia)
Prof. Dr Srba Mladenović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Adnan Mujkanović, University of Zenica, Faculty of Engineering and Natural Sciences (Bosnia and Herzegovina)
Prof. Dr Cornelia Muntean, Politehnica University of Timisoara (Romania)
Prof. Dr Tatiana N. Aleksandrova, Saint Petersburg Mining University, Department of Mineral Processing (Russia)
Prof. Dr Goran Načevski, Ss. Cyril and Methodius University in Skopje, Faculty of Technology and Metallurgy (Republic of North Macedonia)
Prof. Dr Adina Negrea, Politehnica University of Timisoara (Romania)
Prof. Dr Irena Nikolić, University of Montenegro, Faculty of Metallurgy and Technology (Montenegro)
Prof. Dr Đorđe Nikolić, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Daniel Ogochukwu Okanigbe, Tshwane University of Technology, Department of Extractive Metallurgy and Mineral Processing (South Africa)
Prof. Dr Dušan Oráč, Institute of Recycling and Environmental Technologies, Faculty of Materials, Metallurgy and Recycling, Technical University of Kosice (Slovakia)
Prof. Emeritus Dr. Sc. Mirsada Oruč, University of Zenica, Faculty of Engineering and Natural Sciences (Bosnia and Herzegovina)
Prof. Dr Dimitris Pnias, National Technical University of Athens, School of Mining Engineering and Metallurgy (Greece)
Prof. Dr Perica Paunović, Ss. Cyril and Methodius University in Skopje, Faculty of Technology and Metallurgy (Republic of North Macedonia)
Prof. Dr Mitar Perušić, University of East Sarajevo, Faculty of Technology Zvornik (Bosnia and Herzegovina)
Prof. Dr Batrić Pešić, University of Idaho, College of Engineering (USA)
Prof. Dr Marija Petrović Mihajlović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Miljana Popović, University of Belgrade, Faculty of Technology and Metallurgy (Serbia)
Prof. Dr Milena Premović, University of Priština, Faculty of Technical Sciences (Serbia)
Prof. Dr Charikleia Prochaska, Aristotle University of Thessaloniki, Faculty of Sciences, School of Chemistry, Division of Chemical Technology and Industrial Chemistry (Greece)

Prof. Dr Miljana Radivojević, Institute of Archaeology, University College London (UK)
Prof. Dr Velimir Radmilović, Serbian Academy of Sciences and Arts (Serbia)
Prof. Dr Milan Radovanović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Nenad Radović, University of Belgrade, Faculty of Technology and Metallurgy (Serbia)
Prof. Dr Žarko Radović, University of Montenegro, Faculty of Metallurgy and Technology (Montenegro)
Prof. Emeritus Karlo Raić, University of Belgrade, Faculty of Technology and Metallurgy (Serbia)
Prof. Dr Mirjana Rajčić Vujasinović, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Andrei Rotaru, University of Craiova, Department of Chemical Thermodynamics (Romania)
Prof. dr. eng. Elena Scutelnicu, "Dunarea de Jos" University of Galati, Faculty of Engineering (Romania)
Prof. Dr Snežana Šerbula, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Rustam Sharipov, JSC "Kazakh-British Technical University (Kazakhstan)
Dr Miroslav Sokić, Institute for Technology of Nuclear and other Mineral Raw Materials (Serbia)
Prof. Dr Jovica Sokolović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Petr Solozhenkin, Russian Academy of Sciences (Russia)
Prof. Dr Dimitriu Sorin, Polytechnic University of Bucharest (Romania)
Dr Jasna Stajić Trošić, University of Belgrade, Institute of Chemistry, Technology and Metallurgy (Serbia)
Prof. Dr Velizar Stanković, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Rodoljub Stanojlović, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Jasmina Stevanović, University of Belgrade, Institute of Chemistry, Technology and Metallurgy (Serbia)
Dr Zoran Stevanović, Mining and Metallurgy Institute Bor (Serbia)
Prof. Dr Saša Stojadinović, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Srećko Stopić, RWTH Aachen University, Faculty of Georesources and Materials Engineering (Germany)
Prof. Dr Jasmin Suljagić, University of Tuzla, Faculty of Technology (Bosnia and Herzegovina)
Dr Zhongmei Sun, Zijin Mining and Metallurgy Research Institute (China)
Dr Nadežda Talijan, Academy of Engineering Science of Serbia (Serbia)
Prof. Dr Jarmila Trpčevská, Faculty of Materials, Metallurgy and Recycling, Technical University of Kosice (Slovakia)
Dr Biserka Trumić, Mining and Metallurgy Institute Bor (Serbia)
Prof. Dr Milan Trumić, University of Belgrade, Technical Faculty in Bor (Serbia)
Dr Walter Valery, University of Queensland (Australia)
Prof. Dr Dmitry Vasilyev, A.A.Baikov Institute of Metallurgy and Materials Science, Russian Academy of Sciences (Russia)
Prof. Dr Iveta Vaskova, Faculty of Materials, Metallurgy and Recycling, Technical University of Kosice (Slovakia)
Prof. Dr Petrica Vizureanu, Gheorghe Asachi Technical University from Iasi (Romania)
Prof. Dr Tatjana Volkov-Husović, University of Belgrade, Faculty of Technology and Metallurgy (Serbia)
Prof. Dr Maja Vončina, University of Ljubljana, Faculty of Natural Science and Engineering (Slovenia)
Prof. Dr Milovan Vuković, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Nenad Vušović, University of Belgrade, Technical Faculty in Bor (Serbia)
Prof. Dr Kaikun Wang, School of Materials Science and Engineering, University of Science and Technology Beijing (China)
Prof. Dr Ridvan Yamanoglu, Kocaeli University, Engineering Faculty, Metallurgical and Materials Engineering Department (Turkey)
Prof. Dr Onuralp Yucel, Istanbul Technical University, Faculty of Chemical and Metallurgical Engineering (Turkey)
Prof. Dr Zdenka Zovko Brodarac, University of Zagreb, Faculty of Metallurgy (Croatia)

ORGANIZING COMMITTEE

- Prof. Dr Ljubiša Balanović**, Full Professor (UB TF Bor) – president
Prof. Dr Radoje Pantović, Full Professor (UB TF Bor) – vice-president
Dr Ana Kostov, Principal Research Fellow (MMI Bor) – vice-president
- Dr Ivana Marković**, Full Professor (UB TF Bor)
- Prof. Dr Jovica Sokolović**, Full Professor (UB TF Bor)
- Dr Maja Nujkić**, Associate Professor (UB TF Bor)
- Dr Žaklina Tasić**, Associate Professor (UB TF Bor)
- Dr Milan Gorgievski**, Full Professor (UB TF Bor)
- Dr Ana Radojević**, Associate Professor (UB TF Bor)
- Dr Тања Калиновић**, Associate Professor (UB TF Bor)
- Dr Dejan Petrović**, Associate Professor (UB TF Bor)
- Dr Jelena Ivaz**, Associate Professor (UB TF Bor)
- Dr Anđelka Stojanović**, Associate Professor (UB TF Bor)
- Dr Uroš Stamenković**, Assistant Professor (UB TF Bor)
- Dr Jasmina Petrović**, Assistant Professor (UB TF Bor)
- Dr Vladimir Nikolić**, Assistant Professor (UB TF Bor)
- Milan Nedeljković**, Assistant (UB TF Bor)
- Milijana Mitrović**, Assistant (UB TF Bor)
- Marina Marković**, Assistant (UB TF Bor)
- Kristina Božinović**, Assistant (UB TF Bor)
- Milica Zdravković**, Assistant (UB TF Bor)
- Miljan Marković**, Assistant (UB TF Bor)
- Pavle Stojković**, Assistant (UB TF Bor)
- Avram Kovačević**, Assistant (UB TF Bor)
- Sandra Vasković**, English Lecturer (UB TF Bor)
- Oliver Marković**, IT service (UB TF Bor)
- Bojana Janković**, Accountant (UB TF Bor)

LIST OF REVIEWERS

- Prof. Dr Ridvan Yamanoglu, Kocaeli University (Turkey)
- Prof. Dr Peizhong Feng, School Materials Science and Physics, China University of Mining and Technology (China)
- Prof. Dr Srećko Stopić, IME Process Metallurgy and Metal Recycling, RWTH Aachen University (Germany)
- Prof. Dr Nebojša Tadić, University of Montenegro - Faculty of Metallurgy and Technology (Montenegro)
- Dr Aleksandra Mitovski, Engineering Dobersek GmbH (Germany)
- Prof. Dr Žarko Radović, University of Montenegro - Faculty of Metallurgy and Technology (Montenegro)
- Prof. Dr Ljubiša Balanović, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Milan Gorgievski, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Jan Vreštal, Masaryk University, Centre for Nanotechnology and Microtechnology (Czech Republic)
- Prof. Dr Claire Utton, University of Sheffield, Department of Materials Science and Engineering (UK)
- Prof. Dr Marija Petrović Mihajlović, University of Belgrade - Technical Faculty in Bor (Serbia)
- Doc. Dr Jelena Ivaz, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Radoje Pantović, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Miodrag Banješević, University of Belgrade - Technical Faculty in Bor (Serbia)
- Dr Danijel Kržanović, Mining and Metallurgy Institute Bor (Serbia)
- Dr Predrag Stolić, University of Belgrade - Technical Faculty in Bor (Serbia)
- Dr Vladan Marinković, Mining and Metallurgy Institute Bor (Serbia)
- Prof. Dr Saša Stojadinović, University of Belgrade - Technical Faculty in Bor (Serbia)
- Doc. Dr Ana Simonović, University of Belgrade - Technical Faculty in Bor (Serbia)
- Doc. Dr Dejan Petrović, University of Belgrade - Technical Faculty in Bor (Serbia)
- Dr Dragana Medić, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Milan Trumić, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Jovica Sokolović, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Ivana Marković, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Maja Trumić, University of Belgrade - Technical Faculty in Bor (Serbia)
- Dr Dejan Todorović, Institute for Technology of Nuclear and Other Minerel Raw Materials (Serbia)
- Prof. Dr Zoran Štirbanović, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Vesna Grekulović, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Dejan Tanikić, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Dominika Jendrzczyk-Handzlik, AGH University of Science and Technology in Kraków, Faculty of Non-Ferrous Metals (Poland)
- Prof. Dr Grozdanka Bogdanović, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Dragan Manasijević, University of Belgrade - Technical Faculty in Bor (Serbia)
- Prof. Dr Milan Radovanović, University of Belgrade - Technical Faculty in Bor (Serbia)

Dr Vesna Conić, Mining and Metallurgy Institute Bor (Serbia)
Dr Marija Korać, University of Belgrade - Faculty of Technology and Metallurgy (Serbia)
Dr Sanja Martinović, University of Belgrade - Institute of Chemistry, Technology and Metallurgy (Serbia)
Doc. Dr Uroš Stamenković, University of Belgrade - Technical Faculty in Bor (Serbia)
Dr Jasmina Petrović, University of Belgrade - Technical Faculty in Bor (Serbia)
Prof. Dr Srba Mladenović, University of Belgrade - Technical Faculty in Bor (Serbia)
Prof. Dr Saša Marjanović, University of Belgrade - Technical Faculty in Bor (Serbia)
Dr Viša Tasić, Mining and Metallurgy Institute Bor (Serbia)
Prof. Dr Junxue Zhao, School of Metallurgical Engineering, Xian University of Architecture and Technology (China)
Prof. Dr Miljana Radivojević, Institute of Archaeology, University College London (UK)
Prof. Dr Milena Premović Zečević, University of Priština, Faculty of Technical Science (Serbia)
Dr Ana Alil, University of Belgrade - Institute of Chemistry, Technology and Metallurgy (Serbia)
Prof. Dr Đorđe Nikolić, University of Belgrade - Technical Faculty in Bor (Serbia)
Prof. Dr Velimir Radmilović, University of Belgrade - Faculty of Technology and Metallurgy (Serbia)
Prof. Dr Tatjana Volkov-Husović, University of Belgrade - Faculty of Technology and Metallurgy (Serbia)
Prof. Dr Žaklina Tasić, University of Belgrade - Technical Faculty in Bor (Serbia)
Prof. Dr Tanja Kalinović, University of Belgrade - Technical Faculty in Bor (Serbia)
Dr Jelena Jordanovć, University of Belgrade - Technical Faculty in Bor (Serbia)
Prof. Dr Maja Nujkić, University of Belgrade - Technical Faculty in Bor (Serbia)
Prof. Dr Milica Veličković, University of Belgrade - Technical Faculty in Bor (Serbia)
Prof. Dr Snežana Milić, University of Belgrade - Technical Faculty in Bor (Serbia)
Dr Jelena Kalinović, University of Belgrade - Technical Faculty in Bor (Serbia)
Doc. Dr Ana Radojević, University of Belgrade - Technical Faculty in Bor (Serbia)
Dr Dragana Božić, Mining and Metallurgy Institute Bor (Serbia)
Prof. Dr Dejan Riznić, University of Belgrade - Technical Faculty in Bor (Serbia)
Dr Vaso Manojlović, University of Belgrade - Faculty of Technology and Metallurgy (Serbia)
Prof. Dr Predrag Đorđević, University of Belgrade - Technical Faculty in Bor (Serbia)
Dr Emina Požega, Mining and Metallurgy Institute Bor (Serbia)
Dr Vladan Ćosović, University of Belgrade, Institute of Chemistry, Technology and Metallurgy (Serbia)
Prof. Dr Duško Minić, University of Priština, Faculty of Technical Science (Serbia)

BEHAVIOR OF ZINC, CALCIUM AND IRON IN THE TWO-STAGE LEACHING PROCESS OF THE EAF DUST

Vanja Trifunović^{1a}, Snežana Milić^{2a}, Ljiljana Avramović^{1b},
Dragana Božić^{1c}, Zoran Avramović^{1d}

¹ Mining and Metallurgy Institute Bor, Alberta Ajnštajna 1, 19210 Bor, Serbia

² Technical Faculty Bor, University of Belgrade, V.J. 12, 19210 Bor, Serbia

^{1a} vanja.trifunovic@irmbor.co.rs, 0000-0003-4839-8751

^{2a} smilic@tfbor.bg.ac.rs, 0000-0002-5000-9156

^{1b} ljiljana.avramovic@irmbor.co.rs, 0000-0002-3747-1530

^{1c} dragana.bozic@irmbor.co.rs, 0000-0003-1055-8449

^{1d} zoran.avramovic@irmbor.co.rs, 0009-0006-7585-976X

Abstract

The treatment of the EAF dust was carried out by applying the leaching process in two technological stages in order to selectively separate certain components from the EAF dust. In the first stage, a pre-treatment was performed to selectively remove water-soluble components from the original EAF dust sample, while in the second stage, zinc was selectively separated from the resulting solid residue by acid leaching. In the second stage of the leaching process, the influence of the acid leaching process time on the zinc, calcium and iron leaching rates were investigated. Selective zinc recovery from the EAF dust was achieved with the following optimal parameters of the acid leaching process: leaching reagent 1.0 M solution of H₂SO₄, ambient temperature, S:L ratio = 1:4, time 10 min and stirring speed 500 rpm. The zinc leaching rate in the second leaching stage was 60.74%, while the Ca and Fe leaching rates were significantly lower and amounted to 12.18% and <0.01%, respectively.

Keywords: EAF dust, two-stage leaching, selectivity

1. INTRODUCTION

In steel production, as in other branches of industry, waste is generated. The production of steel in electric arc furnaces, for which scrap iron is used as a batch, generates electric arc furnace dust (EAF dust) as an intermediate product of the process. During the production of 1 t of crude steel, 10-20 kg of EAF dust containing Zn, Fe, Pb, Cl, Ca, Na, K, Cr, Mg, Mn, Ni, Si, Cd and others is obtained [1-4]. If the EAF dust is disposed of in an inadequate way, due to the action of atmospheres, the heavy metals contained in it may self-leach and have a negative impact on the environment. For this reason, EAF dust has been characterized worldwide as a hazardous industrial solid waste [5-7]. Despite the harmful characteristics of the EAF dust, there are several benefits of its further treatment. The first is environmental protection, with the aim of reducing hazardous waste or its transformation into non-hazardous waste, as well as its safe disposal at a landfill. Another benefit is the valorization of valuable metals present in the EAF dust, primarily zinc, and the achievement of [1,2,5]. Treatment of the EAF dust can be carried out in three ways, namely by: hydrometallurgical, pyrometallurgical or combined process which represents a combination of elements of both previous processes [2-5,7].

The application of the pyrometallurgical process for the EAF dust treatment leads to the consumption of a large amount of energy, because the processes take place at high temperatures and it is not possible to apply it to raw materials with a zinc content lower than 15%. The product obtained by applying this process - ZnO, has little commercial value [3,8]. On the other hand, the hydrometallurgical process takes place at temperatures lower than 100°C, and is applied to raw materials with a low zinc content, using low-cost and easily available chemicals, and the obtained product is of high quality. The hydrometallurgical process includes three technological stages:

leaching, purification of the pregnant leaching solution and recovery of metals or compounds from the purified pregnant leaching solution [2-4,7].

In this paper, the chemical and mineralogical characterization of the original EAF dust sample was carried out, and then the two-stage leaching process of the EAF dust was investigated, which aimed to selectively separate zinc into the pregnant leaching solution, with minimal extraction of other components, in the paper, iron and calcium.

2. EXPERIMENTAL

2.1 Chemical and mineralogical characterization of the original EAF dust sample

The chemical composition of the original EAF dust sample was performed using an Atomic Absorption Spectrophotometer, brand Perkin Elmer PinAAcle 900F (USA), and an Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES), brand Spectro Ciros CCD/Vision (Germany). X-Ray diffractometer (XRD), model RigakuMiniFlex 600 (Japan) was used for mineralogical characterization of the original EAF dust sample.

2.2 Two-stage leaching of the EAF dust

The aim of the two-stage leaching process of the EAF dust is to leach zinc, with minimal leaching of other components that will contaminate the zinc solution and further make difficult its recovery as a final product. The leaching process investigated in this paper was carried out in a glass reactor with a volume of 2L, in two stages. The first stage was pretreatment of the EAF dust - water leaching, and the second stage - acid leaching of the solid residue obtained after the pretreatment. In the pretreatment stage of the EAF dust, the original EAF dust sample was leached with distilled water, in order to selectively separate water-soluble components from the EAF dust. The pretreatment was carried out at ambient temperature, with a ratio of solid to liquid phase of 1:10, in time of 30 minutes, at a stirring speed of 500 rpm, as defined in the investigation of the authors Trifunović et al. [1]. The second stage of the EAF dust leaching process was the acid leaching of the solid residue obtained after the applied pretreatment. In this stage, the influence of the leaching time (5, 10, 15, 20, 30 and 60 minutes) on the zinc, calcium and iron leaching rates were investigated. The experimental investigations were carried out at ambient temperature, with a ratio of solid to liquid phase 1:4, stirring speed 500 rpm, and sulfuric acid with an initial concentration of 1.0 M was used as the leaching reagent. The applied acid leaching process parameters are similar to the process parameters in the investigations of other authors [4,5]. The goal of this leaching stage was the selective separation of zinc, with a significant leaching rate, and with as little leaching rate of iron and calcium, present in the EAF dust.

3. RESULTS AND DISCUSSION

The chemical composition of the original EAF dust sample indicated the content of the following elements: Zn - 36.40%; Fe - 21.58%; Ca - 3.02%; Pb - 1.86%; Na - 1.18% and others, with a significantly smaller share. The mineralogical phases of the original EAF dust sample, determined by XRD analysis, are presented in Figure 1. Four phases were identified, namely: franklinite (ZnFe_2O_4), magnetite (Fe_3O_4), zincite (ZnO) and simonkolleite ($\text{Zn}_5(\text{OH})_8\text{Cl}_2 \cdot \text{H}_2\text{O}$). Franklinite, magnetite and zincite occur as the main phases, while simonkolleite was the least abundant phase of the EAF dust. The obtained results of the XRD analysis for the identified mineralogical phases of the analyzed EAF dust are in agreement with the literature [1-3,5].

With the first stage of the two-stage leaching process the selective separation of water-soluble components from the EAF dust, that is, Cl, Na and K. Zinc and iron after the pretreatment remain in the solid residue completely, while Ca in it was about 90% of the initial amount in the original EAF dust sample. The amount of Ca in the solid residue, in the investigated EAF dust, is most likely in the form of compounds that are not soluble in water, such as $\text{Ca}(\text{OH})_2$ and CaSO_4 . The

same conclusion is reached by Montenegro et al. [4] and Al-Harahshes et al. [8] in their investigations, in which they applied a pretreatment, leaching the EAF dust with water.




Figure 1. Diffractogram of the original EAF dust sample

Chemical analysis of the solid residue obtained from the pretreatment of the EAF dust determined the following contents: Zn - 39.4%; Fe - 23.37%; Ca - 2.70%; Pb - 2.02%; Na - 0.27% and very low concentrations of other elements.

The application of the pretreatment leads to a number of advantages for the next stage of the leaching process. Contamination of the pregnant leaching solution with water-soluble components is avoided, there is a mass reduction of about 6% compared to the mass of the initial sample, and the consumption of sulfuric acid in the next stage of acid leaching is also reduced. Figure 2 presents the zinc, calcium and iron leaching rates depending on the time of the sulfuric acid leaching process.




Figure 2. Zinc, calcium and iron leaching rates depending on the time of the acid leaching process

Based on the obtained results, it can be concluded that the highest level of zinc leaching was achieved after 10 minutes of the acid leaching process and is 60.74%. Further, with time, the zinc leaching rate decreases slightly. A calcium leaching rate of 12.18% is also achieved after 10 minutes of the leaching process, it decreases to 11.70% at 15 minutes, and with further time, at 60 minutes it is 13.60%. The iron leaching rate, at all investigated times of the acid leaching process, was negligible, amounting to less than 0.01%. The chemical and mineralogical composition of the EAF dust affects the leaching rates of elements, as do the leaching process conditions. With the application of elevated temperatures and higher acid concentrations, it is likely that the Fe leaching rate would increase. Given that in this paper there are no significant changes in the leaching rates

of zinc, calcium and iron after 10 min, this time can be considered the optimal parameter of the acid leaching process, which achieves the selective separation of zinc from the EAF dust, with minimal leaching of other components.

The reactions of zinc, iron and calcium compounds from the EAF dust with sulfuric acid can be described by the following equations [5]:



In a study by Montenegro et al. [4] after the pretreatment (water leaching), the solid residue was leached with a 1.0 M solution of H_2SO_4 , at a ratio of S:L=20%, for 20 min, at a stirring speed of 500 rpm. The zinc leaching rate was 74%, while the iron leaching rate in the investigation of these authors was 8%. Kukurugya et al. [5] in their investigation of the acid leaching process monitored the leaching rates of Zn, Fe and Ca at concentrations of H_2SO_4 from 0.05 to 1.0 M, at the ratio S:L=50, at temperatures from 20 to 95°C, for times: 1, 5, 10, 15, 30, 60 and 90 min. The maximum zinc leaching rate of 87% was achieved with a concentration of H_2SO_4 of 1.0 M, at a temperature of 80°C and for a time of 60 min.

4. CONCLUSION


The results of the experimental investigations in this paper showed that the selective separation of Zn from the investigated EAF dust can be achieved by applying the two-stage leaching process. In the first stage, the pretreatment stage, the removal of water-soluble components from the original EAF dust sample is achieved, while in the second stage, by acid leaching of the solid residue obtained after the pretreatment, with appropriate process parameters, Zn is selectively separated, in the amount of 60.74%, with low levels of Ca and Fe leaching. The Fe leaching rate is determined by the chemical and mineralogical composition of the EAF dust, as well as the process parameters. It is likely that a higher leaching rates would be achieved by applying more rigorous leaching conditions, i.e. higher temperatures and acid concentrations. In the second stage of acid leaching, the optimal process parameters in this paper were: 1.0 M solution of H_2SO_4 as leaching agent, ambient temperature, S:L ratio =1:4, time 10 min and stirring speed 500 rpm.

ACKNOWLEDGEMENTS

The authors are grateful to the Ministry of Education, Science and Technological development of the Republic of Serbia for financial support according to the contract with the registration number 451-03-136/2025-03/200052 and number 451-03-137/2025-03/200131.

REFERENCES

- [1] V. Trifunović, S. Milić, Lj. Avramović, M. Bugarin, S. Đorđievski, M.M. Antonijević, M.B. Radovanović., *Metals*, 14 (2024) 426.
- [2] V. Trifunović, S. Milić, Lj. Avramović, R. Jonović, V. Gardić, S. Đorđievski, S. Dimitrijević., *Hem. Ind.*, 76 (4) (2022) 237-249.
- [3] J. Gamutan, S. Koide, Y. Sasaki, T. Nagasaka., *J. Environ. Chem. Eng.*, 12 (2024) 111789.
- [4] V. Montenegro, S. Agatzini-Leonardou, P. Oustadakis, P. Tsakiridis., *Waste Biomass Valorization.*, 7 (6) (2016) 1531–1548.
- [5] F. Kukurugya, T. Vindt, T. Havlík., *Hydrometallurgy*, 154 (2015) 20–32.
- [6] P.K. Hazaveh, S. Karimi, F. Rashchi, S. Sheibani., *Ecotoxicol. Environ. Saf.*, 202 (2020) 110893.
- [7] J. Wang, Y. Zhang, K. Cui, T. Fu, J. Gao, S. Hussain, T.S. AlGarni., *J. Cleaner Prod.*, 298 (2021) 126788.
- [8] M. Al-Harashseh, Y. Orabi, S. Al-Asheh., *J. Environ. Chem. Eng.*, 9 (2021) 105410.



ISBN-978-86-6305-164-5

